P.O. BOX 202115 HARRISBURG, PENNSYLVANIA 17120-2115 PHONE: (717) 783-5043



843 SCRANTON CARBONDALE HIGHWAY EYNON, PENNSYLVANIA 18403 PHONE: (570) 876-1111 FAX: (570) 876-5304

DISTRICT OFFICE:

House of Representatives commonwealth of pennsylvania harrisburg

2183

June 14, 2010

JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 6 2010
JUN 1 7 Am
JUN 2 Am
JUN 2

Arthur Coccodrilli, Chairman Independent Regulatory Review Commission 14th Floor, Harristown 2 333 Market Street Harrisburg, PA 17101

Dear Chairman Coccodrilli:

I write today to encourage approval of the EQB's recent revisions to its rules for Erosion & Sedimentation Controls which are to be voted on June 17th. Specifically, I urge passage of Chapter 95 and Chapter 102 revisions including mandating 150 foot buffers for new development along Exceptional Value and High Quality streams.

The benefits of stream buffers have been well-documented. Not only is there a widespread consensus of their value in the scientific community, but Pennsylvania's conservation community has also shown a broad and deep support for these rules. Most importantly, for people who choose to live near our waterways, buffers protect property values. They do so by diminishing the likelihood of property damaging flood events, enhancing the scenic beauty, and ensure a recreational value in the waterway.

Additionally, the changes to Chapter 95 would establish a discharge standard of 500 milligrams per liter (mg/L) for Total Dissolved Solids (TDS) and 250 mg/L each for Sulfates and Chlorides for natural gas drillers. These standards will go a long way towards ensuring that federal drinking water standards are met across the state for TDS.

Please approve these regulations and allow them to be promulgated by the DEP without delay.

Sincerely,

Edward G. Staback, Member