

2785

From: Brownfield, Jill [jbrownfiel@state.pa.us] on behalf of AG, CHBcomments [CHBComments@state.pa.us]
Sent: Monday, October 26, 2009 1:48 PM
To: dhain@pahouse.net; IRRC; kebersole@pasen.gov; Kennedy, David C. (AG); Kerry Golden; MULLER, JENNIFER; Smith, Jessie L; Thall, Gregory (GC); wgevans@pasenate.com
Subject: FW: Proposed regulations

RECEIVED
OCT 26 PM 4:15
INFORMATIONAL
DEPARTMENT OF AGRICULTURE

From: Holmes, Judith A [mailto:jholmes@smartgrp.com]
Sent: Monday, October 26, 2009 12:19 PM
To: AG, CHBcomments
Cc: kkaufman@irrc.state.pa.us; jjewett@irrc.state.pa.us; sschalles@irrc.state.pa.us; jsmith@irrc.state.pa.us; fwilmarth@irrc.state.pa.us; mstephens@irrc.state.pa.us; wgelnett@irrc.state.pa.us; mharris@irrc.state.pa.us
Subject: Proposed regulations

Please support the proposed regulations made by the Canine Health Board

The proposed regulations include:

Ventilation - Requires commercial kennels to have a functional, mechanical ventilation system, and in an emergency, the kennel must have operable windows, skylights, etc. When the temperature exceeds 85 degrees, this mechanical ventilation system must be used to reduced the temperature inside the kennel. This proposed regulation also requires breeders to monitor ammonia, carbon monoxide, and humidity levels, as well as requiring them to provide the dogs in their kennels with 8-20 air changes of 100% fresh air per hour in each room of the kennel where their dogs are housed. Many of the dogs in Pennsylvania's puppy mills have ulcers on their eyes from high ammonia levels; others suffer from heat exhaustion in the summer. This section of the proposed regulations will ensure that dogs in the larger commercial breeding kennels are provided with clean, fresh, breathable air.

Lighting - This proposed regulation recognizes the needs for dogs in these facilities to have exposure to natural light - or at the very least, a mixture of natural and artificial light. Many of the dogs rescued from these facilities have spent their whole lives in darkness, so this is extremely important. Under the suggested guidelines, dogs are also protected from excessive light, and shaded area will be required in outside exercise areas.

Flooring - Under the new dog law, solid or "slatted" flooring is required. This regulation outlines specifics regarding drainage (no dog standing in urine, etc.), degree of sloping, and the materials that can be used (dogs should not be forced to stand on hot or cold metal flooring, for example.)

If passed, the state will not incur any additional costs enforcing these regulations, and any costs incurred by the commercial kennels will be made up by selling healthier dogs.

THANK YOU

Judith A. Holmes

Senior Manager, Finance

SMART

80 Lancaster Ave - Devon, PA 19333

jholmes@smartgrp.com

www.smartgrp.com

610.254.2209 direct

610.947.1909 fax

SMART Business Advisory and Consulting, LLC and SMART and Associates, LLP have an alternative practice structure. The two companies are separate and independent legal entities that work together to meet clients' business needs. SMART Business Advisory and Consulting, LLC is not a licensed CPA firm.

This message may contain information that is privileged, confidential and exempt from disclosure under applicable law. If you are not the intended recipient (or authorized to act on behalf of the intended recipient) of this message, you may not disclose, forward, distribute, copy, or use this message or its contents. If you have received this communication in error, please notify us immediately by return e-mail and delete the original message from your e-mail system.