

2802

RECEIVED

**Tate, Michele**

**From:** Sarah Lannen [bandslannen@comcast.net] 2009 OCT 30 PM 3:16  
**Sent:** Saturday, October 24, 2009 1:38 PM  
**To:** EP, RegComments  
**Cc:** bandslannen@comcast.net  
**Subject:** Out Door Wood-Fired Boilers

INDEPENDENT REGULATORY  
REVIEW COMMISSION

25 PA. Code 121 and 123

I am writing in support of the Commonwealth of P.A. Enacting regulations on the use of OWBs  
And the Seasonable Prohibition to operate OWBS Between May 1 and September 30

In the fall of 2008 the People next to our Property installed a OWB with a short smoke stack.  
Its about 140 feet away from our home. Which puts us in the path of the smoke and fumes.

They have burnt garbage and old building materials in it.

We cant have our windows open or set outside to enjoy the weather or fresh air.


My Wife and I both wake up with headaches and Coughing from the fumes.

We are both senior citizens and know won should be subject to live in these conditions.

They have no regard for there neighbors who live in this community.

Out Door Wood-Fired Boilers are a Nuisance and a Health Hazard.

Barry and Sarah Lannen  
3631 Casanova Road  
Munson P.A. 16860  
Phone 814 345 5026



**FREE Animations for your email - by IncrediMail!**

**Click Here!**