


2806



SNYDER ASSOCIATED COMPANIES, INC.

1 Glade Park East, P.O. Box 1022, Kittanning, PA 16201
Phone: (724) 548-8101

Miners and Shippers of
Coal, Sand, Gravel, and
Limestone.

Manufacturers of Portland
Cement, Concrete Blocks,
and Cement Products.

Distributors of Contractor's
Equipment.

Producers of Natural Gas.

February 8, 2010

Environmental Quality Board
Rachel Carson State Office Building
P.O. Box 8477
Harrisburg, PA 17105-8477

****336 JOBS AT RISK****

RE: 25 PA Code CH 95
Wastewater Treatment Requirements
[39 Pa.B. 6467]

Dear Members of the Board:

Snyder Associated Companies, Inc. is a natural resource producer of aggregate, cement, coal, gravel, limestone, oil and gas, and employees over 300 area residents. The above referenced proposed regulation will seriously jeopardize our continued business. These effluent limits are unjustified, as the Department of Environmental Protection has not provided credible data on which to base regulation of Total Dissolved Solids, sulfates and chlorides.

Therefore, Snyder Associated Companies, Inc. requests the withdrawal of the proposed regulation. We appreciate the consideration you will give to our request.

Sincerely,

SNYDER ASSOCIATED COMPANIES, INC.

Mark A. Snyder
Corporate Secretary

DKL/kif

Cc: Senator Jane Ori
Senator Robert Robbins
Senator Joseph Scarnati III
Senator Kim Ward
Senator Donald White
Senator Mary Jo White
Senator John Wozniak

Representative Michele Brooks
Representative Brian Ellis
Representative Matt Gabler
Representative Scott E. Hutchinson
Representative Daryl Metcalfe
Representative Donna Oberlander
Representative Jeff Pyle

Representative Kathy Rapp
Representative Dave Reed
Representative Brad Roae
Representative Samuel Smith
Representative Richard R. Stevenson

2806

RECEIVED

FEB 19 2010

INDEPENDENT REGULATORY
REVIEW COMMISSION

From: Kelly Frantz [kelly.frantz@snydercos.com]
Sent: Tuesday, February 09, 2010 4:54 PM
To: EP, RegComments
Cc: jorie@pasen.gov; jscarnati@pasen.gov; dwhite@pasen.gov; mwhite@pasen.gov; wozniak@pasenate.com; mbrooks@pahousegop.com; bellis@pahousegop.com; shutchin@pahousegop.com; dmetcalf@pahousegop.com; doberlan@pahousegop.com; Jeff Pyle; klrapp@pahousegop.com; dreed@pahousegop.com; broae@pahousegop.com; shmith@pahousegop.com; rstevens@pahousegop.com; Darrel Lewis
Subject: FW: RE: 25 PA Code CH 95 - Wastewater Treatment Requirements - Sent on Behalf of Mark A. Snyder
Attachments: doc20100209164038.pdf

Please see attached letter.

-----Original Message-----

From: Engineering@snydercorp.net [mailto:Engineering@snydercorp.net]
Sent: Tuesday, February 09, 2010 4:41 PM
To: Kelly Frantz
Subject:

TASKalfa 400ci
[00:c0:ee:4b:16:f7]
