

2808

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of John Bush [jbush7@hotmail.com]
Sent: Monday, December 14, 2009 5:50 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr and Mrs John Bush
7 Ashlawn Rd
Malvern, PA 19355-1101
(610) 662-1928

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

2808

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Frank Bartell [fbartell@yahoo.com]
Sent: Monday, December 14, 2009 5:50 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Frank Bartell
1024 N 5th St
Phila, PA 19123-1404
000000000000

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Smita Wagh [smwagh@gmail.com]
Sent: Monday, December 14, 2009 5:49 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Smita Wagh
 2307 Hannahs Ln
 Bethlehem, PA 18020-4488

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

2808

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Tyler Jackson [tsj5019@psu.edu]
Sent: Monday, December 14, 2009 5:49 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Tyler Jackson
478 E Beaver Ave Apt 215
State College, PA 16801-5644
(703) 861-0130

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Ivan Russell [ivanrussell@gmail.com]
Sent: Monday, December 14, 2009 5:49 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Ivan Russell
 101 Governors Ln Apt 307
 Carnegie, PA 15106-4122
 (412) 805-5535

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Alyson Giantisco [agiantisco@yahoo.com]
Sent: Monday, December 14, 2009 5:49 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Alyson Giantisco
 1201 S Clarion St
 Philadelphia, PA 19147-4413

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Kate Ritter [cunegonde56@hotmail.com]
Sent: Monday, December 14, 2009 5:50 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Kate Ritter
 Shannon Dr.
 Tobyhanna, PA 18466-0531

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Jason Palo [jip32032@yahoo.com]
Sent: Monday, December 14, 2009 5:50 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Jason Palo
 3203 Bridlewood Dr
 Glen Mills, PA 19342-8108

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Kathy Lynn Dabanian [katgirl2007@yahoo.com]
Sent: Monday, December 14, 2009 5:50 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Kathy Lynn Dabanian
 210 Washington Ave
 Sellersville, PA 18960-2314
 (215) 534-7374

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

2808

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Kathy Guentner [kgu3@comcast.net]
Sent: Monday, December 14, 2009 5:50 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Dr Kathy Guentner
120 Church Ave
Glenshaw, PA 15116-1452
(412) 487-5141

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Laura Brennan [laurab56@hotmail.com]
Sent: Monday, December 14, 2009 6:19 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Laura Brennan
 2300 Naudain St Apt S
 Philadelphia, PA 19146-1172
 (215) 557-9459

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Greg Manning [gt_manning@yahoo.com]
Sent: Monday, December 14, 2009 6:19 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Greg Manning
 291 Yorkshire Dr
 Newtown, PA 18940-1637

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Garry M. Doll [gmadoll789@verizon.net]
Sent: Monday, December 14, 2009 6:19 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Garry M. Doll
 400 Lycoming St Apt 201
 Williamsport, PA 17701-4957
 (570) 327-8599

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Casey McCarthy [kaecyyalpha@gmail.com]
Sent: Monday, December 14, 2009 6:19 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Casey McCarthy
 116 Stewarts Ct
 Phoenixville, PA 19460-2810

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Robert Rhodes [sycamorespringsfarms@earthlink.net]
Sent: Monday, December 14, 2009 6:19 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Robert Rhodes
 PO Box 355
 Mercersburg, PA 17236-0355
 (717) 328-9444

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Troy Schreiber [sherlocktas@comcast.net]
Sent: Monday, December 14, 2009 6:19 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Troy Schreiber
 232 Market St Apt C
 Millersburg, PA 17061-1309

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

2808

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Gary Halstead [ghalst9011@aol.com]
Sent: Monday, December 14, 2009 6:19 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Dr and Mrs Gary Halstead
1675 Yarnall Rd
Pottstown, PA 19464-1603
(610) 845-2495

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

2808

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of David Kline [klinepdt1@verizon.net]
Sent: Monday, December 14, 2009 6:49 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Dr David Kline
3221 Stockton Pl
Holland, PA 18966-2918

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Ellen Butkus [twovirgos@verizon.net]
Sent: Monday, December 14, 2009 6:49 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

RECEIVED

Dec 14, 2009

John Hanger

Dear Hanger,

DEC 23 REC'D

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Ellen Butkus
 2291 Cable Hollow Rd
 Russell, PA 16345-5035

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Michelle Miller [mmiller@yapinc.org]
Sent: Monday, December 14, 2009 6:49 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Michelle Miller
 1426 W Main St
 Ephrata, PA 17522-1314
 (610) 894-3323

RECEIVED

DEC 23 RECD

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Donald Leonard [dleonard@marcomltd.com]
Sent: Monday, December 14, 2009 6:49 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

RECEIVED

Dec 14, 2009

John Hanger

Dear Hanger,

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Donald Leonard
 13 Highland Dr
 Media, PA 19063-5630
 (610) 558-1659

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Clifford Hritz [clifford_hritz@yahoo.com]
Sent: Monday, December 14, 2009 6:49 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Clifford Hritz
 734 S 17th St Apt 403S
 Philadelphia, PA 19146-1945

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of barbara osada [riverbingo21@yahoo.com]
Sent: Monday, December 14, 2009 6:49 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs barbara osada
 21 1/2 River Rd
 Philadelphia, PA 19128-3902
 (215) 483-9009

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Carole Ostfeld [costfeld@yahoo.com]
Sent: Monday, December 14, 2009 6:48 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Carole Ostfeld
 1491 Shelburne Ct
 Allentown, PA 18104-1949
 (610) 481-0450

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Patricia Fiedler [pimar361@msn.com]
Sent: Monday, December 14, 2009 6:48 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Patricia Fiedler
 27 Stream Ln
 Levittown, PA 19055-2220

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Andrew Wilson [ameigs8@verizon.net]
Sent: Monday, December 14, 2009 6:20 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Andrew Wilson
 611 N 4th St
 Philadelphia, PA 19123-2905
 (215) 925-6924

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Hazel Pelletreau [doerun@comcast.net]
Sent: Monday, December 14, 2009 6:20 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Hazel Pelletreau
 178 Marlyn Rd
 Lansdowne, PA 19050-1808
 (610) 284-6835

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Georgann Kovacovsky [gkovacovsky@yahoo.com]
Sent: Monday, December 14, 2009 6:20 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Georgann Kovacovsky
 323 Cheers Rd
 New Bethlehem, PA 16242-7007

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Rosemary Hennessy [rc.hennessy@verizon.net]
Sent: Monday, December 14, 2009 6:20 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Rosemary Hennessy
 400 Cochran Rd Apt 505
 Pittsburgh, PA 15228-1243
 (412) 341-3764

RECEIVED

DEC 28 REC'D

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Andrea Leshak [all5130@psu.edu]
Sent: Monday, December 14, 2009 6:20 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Andrea Leshak
 203 E Fairmount Ave Apt 120
 State College, PA 16801-5353
 (717) 579-5649

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Joanne Kosloski [joakos1@aol.com]
Sent: Monday, December 14, 2009 7:49 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Joanne Kosloski
 124 Pine Tree Ln
 Wernersville, PA 19565-9309
 (610) 678-6445

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Yuri Romaniuk [klaatu1964@yahoo.com]
Sent: Monday, December 14, 2009 7:49 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Yuri Romaniuk
214 Price Ave
Narberth, PA 19072-1843

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Sally Mcdermott [jfmcd@verizon.net]
Sent: Monday, December 14, 2009 7:20 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Sally Mcdermott
 43 Francis St
 Uniontown, PA 15401-5321
 (724) 439-1299

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Sally Bishop [sabish822@aol.com]
Sent: Monday, December 14, 2009 7:20 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Sally Bishop
 822 Clover Ln
 Plymouth Meeting, PA 19462-2465
 (610) 277-5805

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of John Higgins [rigor2@verizon.net]
Sent: Monday, December 14, 2009 7:20 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr John Higgins
 65 E Woodhaven Dr
 White Haven, PA 18661-9652
 (570) 443-8868

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

2808

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Mike Bengston [mbkicks10@gmail.com]
Sent: Monday, December 14, 2009 7:20 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Mike Bengston
115 Sutton Rd
Easton, PA 18045-6132

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Mindi Baurer [mindi0323@yahoo.com]
Sent: Monday, December 14, 2009 7:19 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Miss Mindi Baurer
 118 W 5th St
 Lansdale, PA 19446-2423
 (215) 834-7282

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Idyle Nestler [idylen@aol.com]
Sent: Monday, December 14, 2009 7:19 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Idyle Nestler
 6342 Saddle Rd
 New Tripoli, PA 18066-2124

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

2808

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of George Geiges [ggeiges@gmail.com]
Sent: Monday, December 14, 2009 7:19 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr George Geiges
121 Geiges Ln
Newfoundland, PA 18445-9647
(570) 676-0785

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Nancy Cohn [ncohn100@comcast.net]
Sent: Monday, December 14, 2009 7:19 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Nancy Cohn
 100 Shawnee Rd
 Ardmore, PA 19003-1629

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

2808

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of W. Lee Bible [acadiahigh@yahoo.com]
Sent: Monday, December 14, 2009 7:19 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr and Mrs W. Lee Bible
155 Cherry Ln
Abbottstown, PA 17301-9065
(717) 259-7987

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

2808

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Richard Eddy [reddy529@ptdprolog.net]
Sent: Monday, December 14, 2009 7:19 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Richard Eddy
202 Lisa Ln
Reading, PA 19606-3516
(610) 779-0335

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of C A Dougherty [pcdougher@gmail.com]
Sent: Monday, December 14, 2009 7:19 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs C A Dougherty
 851 Crum Creek Rd
 Media, PA 19063-1140

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

2808

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Sarah Cutler [sarahcutler@hotmail.com]
Sent: Monday, December 14, 2009 7:19 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Sarah Cutler
60 Whipporwill Ln
Orrtanna, PA 17353-9301
(717) 642-5468

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of David Dunkleberger [ddunkleberger@yahoo.com]
Sent: Monday, December 14, 2009 6:50 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr David Dunkleberger
 1290 Almshouse Rd Apt 628
 Doylestown, PA 18901-2898
 (215) 491-4863

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of
Lucinda Boudreau [lucindamagnarxinc@yahoo.com]
Sent: Monday, December 14, 2009 6:50 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Lucinda Boudreau
251 Shawmont Ave Apt C
Philadelphia, PA 19128-4214
(267) 331-6022

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Kathleen Schmick [kathms@verizon.net]
Sent: Monday, December 14, 2009 6:50 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Kathleen Schmick
 204 Dogwood Ln
 Wallingford, PA 19086-6006
 (610) 566-0790

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

2808

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Lance Arnold [klarnold@pa.net]
Sent: Monday, December 14, 2009 6:49 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Lance Arnold
885 Bucks Valley Rd
Newport, PA 17074-8209
(717) 567-6290

RECEIVED

DEC 28 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Dawn Dippre [d_dippre@hotmail.com]
Sent: Monday, December 14, 2009 6:49 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Miss Dawn Dippre
 825 Crown Ave
 Scranton, PA 18505-1919

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Christa Cooke [christer2007@yahoo.com]
Sent: Monday, December 14, 2009 6:49 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Christa Cooke
 9 Elm Rd
 Hickory, PA 15340-1400

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
 REVIEW COMMISSION