

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Kelley Socling [ksocling@gmail.com]
Sent: Monday, December 14, 2009 12:52 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

RECEIVED

DEC 23 REC'D

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

INDEPENDENT REGULATORY
REVIEW COMMISSION

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Kelley Socling
1749 N State Route 44
Jersey Shore, PA 17740-7101

2808

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of David Sublette [davidsublette@aol.com]
Sent: Monday, December 14, 2009 12:52 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr David Sublette
PO Box 11254
Erie, PA 16514-1254

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Ming Jie Pan [myp5064@psu.edu]
Sent: Monday, December 14, 2009 12:52 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Ming Jie Pan
 111 Stuckeman Family Bldg
 State College, PA 16802-1921
 (646) 573-0539

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Jeffrey Bedrick [bedrick@aol.com]
Sent: Monday, December 14, 2009 12:52 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

RECEIVED

DEC 28 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Dr Jeffrey Bedrick
836 Goshen Rd
Newtown Square, PA 19073-2601
(914) 242-4899

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Alex Hallowell [ahallowell@gmail.com]
Sent: Monday, December 14, 2009 12:52 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Alex Hallowell
 403 Meadowbrook Ave
 Wayne, PA 19087-4831
 (610) 416-9654

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Kim Neff [kzgurl2003@yahoo.com]
Sent: Monday, December 14, 2009 12:52 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Kim Neff
300 57th St
Altoona, PA 16602-1105
(814) 201-2192

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Norman Cook [simply.norm@comcast.net]
Sent: Monday, December 14, 2009 12:52 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Norman Cook
 8103 Southampton Ave
 Wyndmoor, PA 19038-7525
 (215) 836-2718

RECEIVED

DEC 28 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Rosemarie Chinni-Edwards [rcchinni@hotmail.com]
Sent: Monday, December 14, 2009 12:52 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Dr Rosemarie Chinni-Edwards
 68 Brookfield Dr
 Fleetwood, PA 19522-2007

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Elsa Russell Lichtenberg [p-lichtenberg@comcast.net]
Sent: Monday, December 14, 2009 12:52 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Elsa Russell Lichtenberg
 26 Kendal Dr
 Kennett Square, PA 19348-2321
 (610) 388-0441

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Evelyn Haas [oldleft@hotmail.com]
Sent: Monday, December 14, 2009 12:52 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Evelyn Haas
 7832 Lister St
 Phila, PA 19152-3512

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Kishore Jayakumar [greendude789@hotmail.com]
Sent: Monday, December 14, 2009 12:51 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Kishore Jayakumar
 102 Field Club Dr
 Mc Kees Rocks, PA 15136-1084
 (412) 498-1439

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Emily McDonald [emilymacmc@yahoo.com]
Sent: Monday, December 14, 2009 12:51 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Emily McDonald
 826 Hickory St
 Scranton, PA 18505-2034
 (570) 496-8899

RECEIVED

DEC 23 REG'D

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Craig Rhoads [craig.c.rhoads@exxonmobil.com]
Sent: Monday, December 14, 2009 12:51 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr and Mrs Craig Rhoads
 2642 Sean Dr
 Whitehall, PA 18052-3845
 (610) 433-5642

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Jamie Fredrick [fmxrb@aol.com]
Sent: Monday, December 14, 2009 12:51 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Miss Jamie Fredrick
 1243 Laurel Hill Dr
 West Homestead, PA 15120-1354

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of David Larson [crusty95@verizon.net]
Sent: Monday, December 14, 2009 12:51 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr David Larson
 18 S 5th St
 Oxford, PA 19363-1607
 (610) 932-2055

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Joshua Zorich [joshzorich@gmail.com]
Sent: Monday, December 14, 2009 12:51 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Joshua Zorich
 532 Atlantic Ave
 Pittsburgh, PA 15221-4308

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Rex Jordan [vvcougar71@msn.com]
Sent: Monday, December 14, 2009 12:51 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Rex Jordan
 818 E Lackawanna St
 Olyphant, PA 18447-2118

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Alice Robbins [robbinse@earthlink.net]
Sent: Monday, December 14, 2009 12:51 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

RECEIVED

Dec 14, 2009

John Hanger

Dear Hanger,

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Alice Robbins
 32 Treaty Dr
 Chesterbrook, PA 19087-5510
 (610) 647-4786

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Robert Sasser [rasx2@verizon.net]
Sent: Monday, December 14, 2009 12:51 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Robert Sasser
 1767 Hastings Mill Rd
 Pittsburgh, PA 15241-2845
 (412) 335-2926

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Meredith Stone [tystone2@gmail.com]
Sent: Monday, December 14, 2009 12:51 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Meredith Stone
 2026 Wallace St Apt 3
 Philadelphia, PA 19130-3222
 (215) 235-1685

RECEIVED

DEC 23 REG'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Michael Sinclair [mikphiljon@aol.com]
Sent: Monday, December 14, 2009 12:51 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Dr Michael Sinclair
 1101 Flexer Ave
 Allentown, PA 18103-5445
 (610) 737-6838

RECEIVED

DEC 28 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

2808

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Sara Brown [sara.brown412@gmail.com]
Sent: Monday, December 14, 2009 12:50 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Sara Brown
15412 Anns Choice Way
Warminster, PA 18974-3338

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Ron Kauffman [rikauffman@pa.net]
Sent: Monday, December 14, 2009 12:50 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Ron Kauffman
 1177 E. Ave.
 State Line, PA 17263
 (717) 597-1078

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of John Mansky [jpm91141@yahoo.com]
Sent: Monday, December 14, 2009 12:50 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A John Mansky
 344 W Kline Ave
 Lansford, PA 18232-1816

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of E Unger [polishprincesspolishprincess@yahoo.com]
Sent: Monday, December 14, 2009 12:50 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Dr E Unger
 Cab PI
 Beth Twnshp, PA 18020

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Mary Toomey [run5420@comcast.net]
Sent: Monday, December 14, 2009 12:50 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Mary Toomey
 309 N Main St
 Mount Wolf, PA 17347-6736
 (717) 266-1072

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Barbara Jones [thejoneshome@gmail.com]
Sent: Monday, December 14, 2009 12:50 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Barbara Jones
 5619 Darlington Rd
 Pittsburgh, PA 15217-1509
 (412) 421-2039

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of John Mansky [jpm91141@yahoo.com]
Sent: Monday, December 14, 2009 12:50 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr John Mansky
 344 W Kline Ave
 Lansford, PA 18232-1816

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Richard Wilson [rpwilson16@hotmail.com]
Sent: Monday, December 14, 2009 12:50 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

RECEIVED

DEC 23 2009

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

INDEPENDENT REGULATORY
REVIEW COMMISSION

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Dr and Mrs Richard Wilson
 243 Beech Hill Rd
 Wynnewood, PA 19096-1122
 (610) 642-5351

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Whitney Harlow [whitneyharlow@yahoo.com]
Sent: Monday, December 14, 2009 12:50 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Whitney Harlow
 661 Lancaster Ave
 Harrisburg, PA 17112-2254

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Michael Voltz [mavoltz@yahoo.com]
Sent: Monday, December 14, 2009 12:49 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Michael Voltz
 506 Meadow Ln
 Exton, PA 19341-2432
 (302) 798-5957

RECEIVED

DEC 23 12:50

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Anita Hamilton [nita3157@yahoo.com]
Sent: Monday, December 14, 2009 12:49 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that. Does anyone care about our health?

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Anita Hamilton
 1031 W Tabor Rd
 Philadelphia, PA 19141-3013
 (215) 424-6721

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Joseph Werzinski [jwerzinski@yahoo.com]
Sent: Monday, December 14, 2009 12:49 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Joseph Werzinski
 208 Deerfield Ct
 New Hope, PA 18938-1075

RECEIVED

DEC 28 REC'D

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Lukas Rogers [lukas.rogers@temple.edu]
Sent: Monday, December 14, 2009 12:49 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Lukas Rogers
 4912 Knox St
 Philadelphia, PA 19144-3618
 (215) 806-9910

RECEIVED

DEC 28 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Barbara Ostrowski [ostrowskionthelake@roadrunner.com]
Sent: Monday, December 14, 2009 12:49 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Barbara Ostrowski
 3302 Baer Beach Rd Apt B15
 Erie, PA 16505-1818
 (814) 833-8505

RECEIVED

DEC 28 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

2808

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Robert Jordan [rtj525@msn.com]
Sent: Monday, December 14, 2009 12:49 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Robert Jordan
RR 2 Box 2614
Cresco, PA 18326-9531

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of John Lawson [jalawson@upenn.edu]
Sent: Monday, December 14, 2009 12:49 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr John Lawson
 207 Fairview Rd
 Penn Valley, PA 19072-1332
 (610) 617-9622

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of
Melissa Elder [melissa.elder@hotmail.com]
Sent: Monday, December 14, 2009 12:49 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Melissa Elder
PO Box 215
Mifflin, PA 17058-0215

RECEIVED

DEC 28 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Diane Law [dianeelaw@verizon.net]
Sent: Monday, December 14, 2009 12:48 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Diane Law
 2326 Forest Dr
 Pittsburgh, PA 15235-4932

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Joanna Woomer [jcwoomer@comcast.net]
Sent: Monday, December 14, 2009 12:48 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Joanna Woomer
 6771 Tyrone Pike
 Tyrone, PA 16686-7828

RECEIVED

DEC 26 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Christopher Smith [smith12772@yahoo.com]
Sent: Monday, December 14, 2009 12:48 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

RECEIVED

DEC 25 REC'D

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Dr Christopher Smith
 740 Schuylkill Rd
 Birdsboro, PA 19508-9224
 (610) 404-8815

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of jim black [jblack@cleanair.org]
Sent: Monday, December 14, 2009 12:48 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr jim black
 5978 Newtown Ave
 Philadelphia, PA 19120-1131
 (215) 758-2785

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Michael Mcquown [mmcquown@comcast.net]
Sent: Monday, December 14, 2009 12:48 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that. I rely on tap water for everything, not being a user of bottled water, so this is personal concern for me.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Michael Mcquown
 5218 Laurens St
 Philadelphia, PA 19144-4604
 (215) 842-9117

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Shannon Burke [slb5444@psu.edu]
Sent: Monday, December 14, 2009 12:48 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that. Protect the health of our state by protecting our drinking water!

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Miss Shannon Burke
 Atherton Hall
 University Park, PA 16802

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Milt Weisman [milt@fullingtontours.com]
Sent: Monday, December 14, 2009 12:24 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Milt Weisman
 310 1/2 E Cherry St
 Clearfield, PA 16830-2319

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

2808

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Kim Fackler [1969.kim@gmail.com]
Sent: Monday, December 14, 2009 12:23 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Kim Fackler
124 Blackberry Rd
Boyertown, PA 19512-9076

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Jane Kamel [ransome6@comcast.net]
Sent: Monday, December 14, 2009 12:23 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Jane Kamel
 544 Shadeland Ave
 Drexel Hill, PA 19026-1420

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Donna Meyers [dlmccob17@aol.com]
Sent: Monday, December 14, 2009 12:23 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Donna Meyers
 142 Jay St
 Stowe, PA 19464-3716

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Thomas R. Hudson [fozzie.tom@gmail.com]
Sent: Monday, December 14, 2009 12:23 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Thomas R. Hudson
 71 Landover Dr
 Coatesville, PA 19320-1364
 (610) 383-5513

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of JoAnn Chromicky [chromick@yahoo.com]
Sent: Monday, December 14, 2009 12:22 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A JoAnn Chromicky
 PO Box 724
 Brodheadsville, PA 18322-0724

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
 REVIEW COMMISSION