

2808

FORM LETTERS A 501-550

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Christina Glessner [glessner@susqu.edu]
Sent: Monday, December 14, 2009 11:22 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Christina Glessner
2 Olive St
Carbondale, PA 18407-2534

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Joe Hatcher [p_henry1776@yahoo.com]
Sent: Monday, December 14, 2009 11:22 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Joe Hatcher
 2003 Market St
 Camp Hill, PA 17011-4705
 (717) 433-4246

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Virginia Harden [vaharden@comcast.net]
Sent: Monday, December 14, 2009 11:22 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Virginia Harden
 1031 Oakview Cir
 Middletown, PA 17057-3568
 (717) 944-7023

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Tim Pearce [pearcet@carnegiemnh.org]
Sent: Monday, December 14, 2009 11:22 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Dr Tim Pearce
1618 Denniston St Apt A
Pittsburgh, PA 15217-1458
(412) 422-9470

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Jean Barker [jeanbarker14@gmail.com]
Sent: Monday, December 14, 2009 11:22 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Jean Barker
 127 Crosslands Dr
 Kennett Square, PA 19348-2016
 (484) 770-8184

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Anthony Capobianco [acapobia@comcast.net]
Sent: Monday, December 14, 2009 11:22 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Anthony Capobianco
 101 Keystone Ct Ste 203
 Bethel Park, PA 15102-4612
 (412) 854-4463

RECEIVED

DEC 28 8 00 AM '09

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of David Laforest [df11076@hotmail.com]
Sent: Monday, December 14, 2009 11:22 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A David Laforest
212 N 9th St
Bangor, PA 18013-1627
(610) 588-3261

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Agnes Khoo Schwenk [agnes_khooschwenk@yahoo.com]
Sent: Monday, December 14, 2009 11:22 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

RECEIVED

DEC 25 REGD

INDEPENDENT REGULATORY
REVIEW COMMISSION

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Agnes Khoo Schwenk
 504 Marne Ave
 Monongahela, PA 15063-2640

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Barbara Benson [barbarabenson@bensonsails.com]
Sent: Monday, December 14, 2009 11:22 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Dr Barbara Benson
 6558 Blue Church Rd S
 Coopersburg, PA 18036-1833
 (610) 282-3611

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Jennifer Filiault [jennifer@theclean.org]
Sent: Monday, December 14, 2009 11:22 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Miss Jennifer Filiault
 1 Bridge St Ste 200
 Newton, MA 02458-1138
 (617) 928-3408

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Marta Guttenberg [guttenberg@email.chop.edu]
Sent: Monday, December 14, 2009 11:22 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Dr Marta Guttenberg
 226 W Rittenhouse Sq Apt 3018
 Philadelphia, PA 19103-5761

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Amy Anna [anima.attar@verizon.net]
Sent: Monday, December 14, 2009 11:21 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Amy Anna
533A Darlington Rd
Media, PA 19063-5603
(610) 358-5976

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Joan Kyler [joan.kyler@heavyequipmentapp.com]
Sent: Monday, December 14, 2009 11:21 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Joan Kyler
 728 S 2nd St
 Philadelphia, PA 19147-3402

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Todd Nixon [tnln@comcast.net]
Sent: Monday, December 14, 2009 11:21 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr and Mrs Todd Nixon
303 Louise Ave
Croydon, PA 19021-5411
(267) 228-8652

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Frederick Rosen [fredrosen@cavtel.net]
Sent: Monday, December 14, 2009 11:21 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Frederick Rosen
 537 N Bethlehem Pike
 Lower Gwynedd, PA 19002-2508

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Tim Wadkins [timwadkins@gmail.com]
Sent: Monday, December 14, 2009 11:21 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Dr Tim Wadkins
 23 Brandywine Ave Apt 1
 Downingtown, PA 19335-2925

RECEIVED

DEC 23 1000

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Charles Younger [cmyounger@gmail.com]
Sent: Monday, December 14, 2009 11:21 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Charles Younger
 125 Cummiskey Rd
 Dushore, PA 18614-7888
 (570) 928-9273

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Katelyn Warner [kmw1091@sru.edu]
Sent: Monday, December 14, 2009 11:21 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Miss Katelyn Warner
 436 Settlers Village Cir
 Cranberry Township, PA 16066-2161

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of
Cynthia Gilman [cyngilman@comcast.net]
Sent: Monday, December 14, 2009 11:21 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Dr Cynthia Gilman
9 Chestnut Ave
Narberth, PA 19072-2401
(610) 617-8955

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Marianna Sokol [madrona@epix.net]
Sent: Monday, December 14, 2009 11:21 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Marianna Sokol
1317 Elk Grove Rd
Benton, PA 17814-7403

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Barbara Litt [brlitt@gmail.com]
Sent: Monday, December 14, 2009 11:20 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Barbara Litt
 6567 Bartlett St
 Pittsburgh, PA 15217-1833
 (412) 421-0454

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Herbert Skolnick [emkhs1@verizon.net]
Sent: Monday, December 14, 2009 11:20 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Dr and Mrs Herbert Skolnick
 109 Southridge Dr
 Monroeville, PA 15146-4739
 (412) 373-7714

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Danna Cornick [xyzy@zoominternet.net]
Sent: Monday, December 14, 2009 11:20 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Danna Cornick
 94 Pleasant Dr
 Nottingham, PA 19362-9145
 (610) 998-9062

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Amelie Schwendt [schwendt@comcast.net]
Sent: Monday, December 14, 2009 11:20 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Amelie Schwendt
 18 White Oak Rd
 Landenberg, PA 19350-1026

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Patrick Ryan [ttop2000@yahoo.com]
Sent: Monday, December 14, 2009 11:20 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

RECEIVED

DEC 28 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Patrick Ryan
 207 Haldeman St
 Media, PA 19063-3502

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Erich Freimuth Jr [efbrain@aol.com]
Sent: Monday, December 14, 2009 11:20 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Erich Freimuth Jr
 266 Iven Ave Apt 1A
 St Davids, PA 19087-4917
 (610) 688-5193

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Lisa Hodaei [lhodaei@yahoo.com]
Sent: Monday, December 14, 2009 11:20 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Lisa Hodaei
1127 Westbury Rd
Jenkintown, PA 19046-3905
(215) 277-5321

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Alice Logan [alogan@city-net.com]
Sent: Monday, December 14, 2009 11:19 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Alice Logan
 1716 Nevada St
 Pittsburgh, PA 15218-2328
 (412) 241-1805

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Bernard Lisowski [bjl1072b@aol.com]
Sent: Monday, December 14, 2009 11:19 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Bernard Lisowski
130 Garrett Rd Apt E401
Upper Darby, PA 19082-3146

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Natalie Defee Mendik [defeemendik1@windstream.net]
Sent: Monday, December 14, 2009 11:19 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Natalie Defee Mendik
 1005 Trail Side Ct
 Jeannette, PA 15644-4739

RECEIVED

DEC 23 REGD

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Deanne O'Donnell [hottdeanne@hotmail.com]
Sent: Monday, December 14, 2009 11:19 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Deanne O'Donnell
1177 Spruce St
Greensburg, PA 15601-5344
(724) 836-0579

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Kathleen Rengert [k2ees@verizon.net]
Sent: Monday, December 14, 2009 11:19 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Kathleen Rengert
 PO Box 197
 Unionville, PA 19375-0197

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

2808

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Janet and John Stoner [jstoner@ptd.net]
Sent: Monday, December 14, 2009 11:19 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr and Mrs Janet and John Stoner
728 Fulton St
Akron, PA 17501-1313
(717) 859-3388

RECEIVED

DEC 28 REGD

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Colleen Fitzgerald [ccf379@ptd.net]
Sent: Monday, December 14, 2009 11:19 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Colleen Fitzgerald
 2472 Route 737
 Stony Run, PA 19529-8794

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Finn Hornum [hornum@verizon.net]
Sent: Monday, December 14, 2009 11:18 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Finn Hornum
 4713 Cedar Ave
 Philadelphia, PA 19143-2032
 (215) 729-2044

RECEIVED

DEC 28 REGD

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Keith Britton [kcbritto@hotmail.com]
Sent: Monday, December 14, 2009 11:18 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Keith Britton
128 Boncouer Rd
Cheltenham, PA 19012-1322
(215) 635-0453

RECEIVED

DEC 8 8 0000

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Judith Wood [pashawood@verizon.net]
Sent: Monday, December 14, 2009 11:18 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Judith Wood
 6933 Prospect Ave
 Pittsburgh, PA 15202-2017
 (412) 734-2961

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Sandra Bonitt [sbonitt@comcast.net]
Sent: Monday, December 14, 2009 11:18 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

RECEIVED
 DEC 23 10:03
 INDEPENDENT REGULATORY
 REVIEW COMMISSION

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Sandra Bonitt
 1122 Coventry Rd
 Cheltenham, PA 19012-1032
 (215) 782-8524

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of June Gollatz [tiljunted@aol.com]
Sent: Monday, December 14, 2009 11:18 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms June Gollatz
 1819 Richmond Ave
 Bethlehem, PA 18018-3314
 (610) 866-7152

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Karen Wagner [kanne1968@comcast.net]
Sent: Monday, December 14, 2009 10:55 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Karen Wagner
 1664 Dyre St
 Philadelphia, PA 19124-1370
 (215) 240-6972

RECEIVED

DEC 28 10:50

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Libby Goldstein [gorbehfarsi@verizon.net]
Sent: Monday, December 14, 2009 10:55 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Libby Goldstein
 331 Queen St
 Philadelphia, PA 19147-3220
 (215) 465-8878

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Bryon Gliem [pennabry@hotmail.com]
Sent: Monday, December 14, 2009 10:55 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Bryon Gliem
 709 W Race St
 Pottsville, PA 17901-2331
 (570) 622-1929

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Marlene Kauffman [marlenek52@verizon.net]
Sent: Monday, December 14, 2009 10:55 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Marlene Kauffman
 44 N Sungan Rd Apt 225
 New Hope, PA 18938-1445
 (215) 862-7140

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Patrick Mcdaniel [mcdanielp@mercersburg.edu]
Sent: Monday, December 14, 2009 10:55 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Patrick Mcdaniel
 300 E Seminary St
 Mercersburg, PA 17236-1550
 (717) 328-6229

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Beverly Williamson-Pecori [bwp97@verizon.net]
Sent: Monday, December 14, 2009 10:55 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Beverly Williamson-Pecori
 1295 Silver Ln
 Mc Kees Rocks, PA 15136-1063
 (412) 401-7081

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Deborah Krupp [deborahkrupp@gmail.com]
Sent: Monday, December 14, 2009 10:55 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Dr Deborah Krupp
 1340 Old Ford Rd
 Huntingdon Valley, PA 19006-8106
 (215) 938-1365

RECEIVED

DEC 28 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Joanne Rheinlander [rheinlander@embarqmail.com]
Sent: Monday, December 14, 2009 10:54 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Joanne Rheinlander
224 Reigle Rd
Marysville, PA 17053-9744
(717) 957-2177

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Crystal Hoffman [tombombadil123@yahoo.com]
Sent: Monday, December 14, 2009 10:54 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Miss Crystal Hoffman
 730 Fords Corner Rd
 Nanty Glo, PA 15943-3606

RECEIVED

DEC 28 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Alana Davis [alana.allama@gmail.com]
Sent: Monday, December 14, 2009 10:54 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Miss Alana Davis
 1037 Lancaster Ave
 Berwyn, PA 19312-1242
 (610) 324-8026

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Sherry Frost [email.loser@comcast.net]
Sent: Monday, December 14, 2009 10:54 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

RECEIVED
 DEC 23 REC'D
 INDEPENDENT REGULATORY
 REVIEW COMMISSION

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Sherry Frost
 139 Timothy Cir
 Wayne, PA 19087-4647
 (610) 832-0334