

2808
FORM LETTERS A 601-650

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Arnold Schlichter [aschlichter@ikon.com]
Sent: Monday, December 14, 2009 10:49 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Arnold Schlichter
214 E 8th Ave
Conshohocken, PA 19428-1747
(610) 834-9004

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of James Mcclister [perseverance@windstream.net]
Sent: Monday, December 14, 2009 10:49 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A James Mcclister
200 N Water St
Kittanning, PA 16201-1333
(724) 548-1596

RECEIVED

DEC 23 REGD

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of John Jones [johjones40@yahoo.com]
Sent: Monday, December 14, 2009 10:48 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr John Jones
617 Olympia Rd
Pittsburgh, PA 15211-1311
(412) 427-7740

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Ellen Smith [elwsmith@hotmail.com]
Sent: Monday, December 14, 2009 10:48 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Ellen Smith
 1310 Delmont Ave
 Havertown, PA 19083-2626
 (610) 642-0932

RECEIVED

DEC 28 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Jon Piersol [jpiersol@mailier.fsu.edu]
Sent: Monday, December 14, 2009 10:48 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Dr Jon Piersol
 2519 Lindenwood Dr
 Wexford, PA 15090-7914
 (724) 933-8910

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Sam Keiser [skeiser@hometownu.com]
Sent: Monday, December 14, 2009 10:48 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Dr and Mrs Sam Keiser
 534 College Garden Dr
 Kutztown, PA 19530-1012
 (610) 683-8908

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Gary Finney [gfinney@eriez.com]
Sent: Monday, December 14, 2009 10:48 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Gary Finney
 2743 Hannon Rd
 Erie, PA 16510-4439
 (814) 899-3299

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Kathleen Reifke [kbreifke@aol.com]
Sent: Monday, December 14, 2009 10:48 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Kathleen Reifke
 589 Pigeon Creek Rd
 Pottstown, PA 19465-8256
 (610) 469-6666

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Lauren McCarty [laur768@gmail.com]
Sent: Monday, December 14, 2009 10:48 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Lauren McCarty
 909 E Southampton Ave
 Glenside, PA 19038-7934

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Kate Potter [kpsaf@voicenet.com]
Sent: Monday, December 14, 2009 10:48 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Kate Potter
 PO Box 207
 Summit Station, PA 17979-0207

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Pat Laughlin [pblackbird2001@yahoo.com]
Sent: Monday, December 14, 2009 10:48 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Pat Laughlin
177 Dewey St
Etna, PA 15223-1750

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Kiran Mull [kbm2@yahoo.com]
Sent: Monday, December 14, 2009 10:25 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Kiran Mull
 2007 Country Club Dr
 Doylestown, PA 18901-5905
 (215) 491-0223

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Joseph Bertz [joseph.bertz@eu.dodea.edu]
Sent: Monday, December 14, 2009 10:25 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Joseph Bertz
Cmr 423 Box 338
Lancaster, PA 17603

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of John Fullen [jfullen2@windstream.net]
Sent: Monday, December 14, 2009 10:25 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr John Fullen
 20 Watt Rd
 Jeannette, PA 15644-1052

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

2808

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Arthur Soifer [spyboy64@hotmail.com]
Sent: Monday, December 14, 2009 10:25 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Arthur Soifer
774 Roslyn Ave
Glenside, PA 19038-3805
(215) 758-2125

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

2808

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Joseph Devito [devitojj2003@yahoo.com]
Sent: Monday, December 14, 2009 10:24 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Joseph Devito
2834 Harcum Way
Pittsburgh, PA 15203-2311

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Sonia Kudalsky [smkudals@bloomu.edu]
Sent: Monday, December 14, 2009 10:24 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Miss Sonia Kudalsky
 PO Box 537
 Dalton, PA 18414-0537

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Jo Ann Moore [jkgmoore@msn.com]
Sent: Monday, December 14, 2009 10:24 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Jo Ann Moore
 2260 Bethel Rd
 Lansdale, PA 19446-6024
 (215) 699-5779

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Elanor Bagenstose [ebjunebug06@yahoo.com]
Sent: Monday, December 14, 2009 10:24 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Elanor Bagenstose
 638 N 5th St
 Hamburg, PA 19526-1004

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of David Gaiter [deg25@aol.com]
Sent: Monday, December 14, 2009 10:24 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr David Gaiter
 467 Diller Ave
 West Mifflin, PA 15122-1220
 (412) 999-0218

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Hilary Aquino [h_aquino@yahoo.com]
Sent: Monday, December 14, 2009 10:24 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Dr Hilary Aquino
 113 Willow Valley Dr
 Lancaster, PA 17602-4770

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Nancy Hosford [nanhos@juno.com]
Sent: Monday, December 14, 2009 10:24 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Nancy Hosford
 4905 Lolly Dr
 Monroeville, PA 15146-3629

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Judy Arnal [zeman2801@comcast.net]
Sent: Monday, December 14, 2009 10:24 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Judy Arnal
 2801 Jenny Lind St
 McKeesport, PA 15132-5041

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Phil Landis [philjl4@yahoo.com]
Sent: Monday, December 14, 2009 10:24 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Phil Landis
110 Raypaula Dr
Shrewsbury, PA 17361-1410
(717) 235-4164

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Deborah Lonsdorf [photo@holljes.com]
Sent: Monday, December 14, 2009 10:24 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Deborah Lonsdorf
 128 Chestnut Ave
 Narberth, PA 19072-2404

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Keith Knecht [kek33@verizon.net]
Sent: Monday, December 14, 2009 10:23 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Keith Knecht
 755 Brookline Blvd
 Pittsburgh, PA 15226-2101
 (412) 561-4482

RECEIVED

DEC 28 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Caleb Banas [caleb_banas@yahoo.com]
Sent: Monday, December 14, 2009 10:23 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Caleb Banas
106 E 4th St
Williamsport, PA 17701-6331

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Danielle Watson [watsondm@jmu.edu]
Sent: Monday, December 14, 2009 10:23 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Miss Danielle Watson
 1121C Reservoir St
 Harrisonburg, VA 22807-0001
 (814) 279-1402

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Ingrid Mc Millen [ingrid.mcmillen@verizon.net]
Sent: Monday, December 14, 2009 10:23 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Ingrid Mc Millen
 50 Casselberry Dr
 Audubon, PA 19403-2150
 (610) 630-1347

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Dana Patsey [dana.patsey@comcast.net]
Sent: Monday, December 14, 2009 10:23 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Dana Patsey
 1109 Pennsylvania Ave
 Oakmont, PA 15139-1139

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Sheila Roseman [sheila.roseman@verizon.net]
Sent: Monday, December 14, 2009 10:23 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Sheila Roseman
 6261 Jackson Dr
 East Petersburg, PA 17520-1115
 (717) 569-2248

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Alexandra O'Neill [xandra719@aol.com]
Sent: Monday, December 14, 2009 10:23 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Alexandra O'Neill
1001 City Ave Apt EC604
Wynnewood, PA 19096-3976
(610) 247-4372

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

2808

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Benita Campbell [b_j_campbell@yahoo.com]
Sent: Monday, December 14, 2009 10:23 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Miss Benita Campbell
23 Hindman Ave
Burgettstown, PA 15021-1165
(724) 947-2790

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

2808

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Torey Verts [toreyverts@hotmail.com]
Sent: Monday, December 14, 2009 10:23 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Torey Verts
2429 Brighton Rd
Pittsburgh, PA 15212-2834
(412) 321-5629

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Bonita Perry [blperry2002@yahoo.com]
Sent: Monday, December 14, 2009 10:23 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Bonita Perry
 130 Anton Rd
 Wynnewood, PA 19096-1226
 (610) 649-8700

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Weenta Girmay [weenta2000@aol.com]
Sent: Monday, December 14, 2009 10:23 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Miss Weenta Girmay
 313 Oakland Ave
 Pittsburgh, PA 15213-4021

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Attilia Shumaker [attilia@windstream.net]
Sent: Monday, December 14, 2009 10:23 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Attilia Shumaker
169 McCollough Rd
Sycamore, PA 15364-1263
(724) 627-7871

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Edmund Weisberg [edmundweisberg@yahoo.com]
Sent: Monday, December 14, 2009 10:23 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Edmund Weisberg
 1720 Spruce St Apt 8
 Philadelphia, PA 19103-6175
 (215) 496-9895

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of John Christian [jchrist800@me.com]
Sent: Monday, December 14, 2009 10:23 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr John Christian
 1308 Grandview Dr
 Bloomsburg, PA 17815-8812
 (570) 784-2090

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Jill Gleeson [jillgleeson@hotmail.com]
Sent: Monday, December 14, 2009 10:22 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Jill Gleeson
401 N 5th St
Philipsburg, PA 16866-2324
(814) 342-5882

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Lisa Long [llong@attorneygeneral.gov]
Sent: Monday, December 14, 2009 10:22 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Lisa Long
 14 Reynolds St
 Mechanicsburg, PA 17055-5637
 (717) 795-5974

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Vicki Nosal [visuno@aol.com]
Sent: Monday, December 14, 2009 10:22 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Vicki Nosal
113 Washington Ave
Evans City, PA 16033-9231
(724) 538-8580

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

2808

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Jaynie Beard [jaynieb@comcast.net]
Sent: Monday, December 14, 2009 10:22 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Jaynie Beard
3515 Schoolhouse Ln
Harrisburg, PA 17109-4751

RECEIVED

DEC 23 REGD

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

2808

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Susan Crowle [sandcoatfm@msn.com]
Sent: Monday, December 14, 2009 10:22 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Susan Crowle
500 Red Church Rd
Auburn, PA 17922-9780

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Robert Steininger [naturebob@verizon.net]
Sent: Monday, December 14, 2009 10:22 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr and Mrs Robert Steininger
 100 Westridge Pl S
 Phoenixville, PA 19460-3376

RECEIVED

DEC 28 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Anne Swigart [huntera920@gmail.com]
Sent: Monday, December 14, 2009 10:22 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Anne Swigart
 1629 Margo Ln
 West Chester, PA 19380-6649
 (610) 761-3657

RECEIVED

DEC 28 REGD

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Gayle Shisler [gayle@healthylifeplanning.com]
Sent: Monday, December 14, 2009 10:22 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Gayle Shisler
 420 Belmont Ave
 Doylestown, PA 18901-4428
 (215) 489-9008

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Alison Greifenstein [ahicks@philawordshop.com]
Sent: Monday, December 14, 2009 10:22 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Alison Greifenstein
72 W Hillcrest Ave
Havertown, PA 19083-1433
(610) 853-0296

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Ronald Smith [smithro@mccc.edu]
Sent: Monday, December 14, 2009 10:22 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Ronald Smith
 57 Hedgerow Dr
 Morrisville, PA 19067-5981
 (267) 994-3320

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Jeff Lowry [jlowry999@hotmail.com]
Sent: Monday, December 14, 2009 10:22 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Jeff Lowry
 1189 Zucco Ln
 Johnstown, PA 15905-1166

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION