

2808

FORM LETTERS A 651-700

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Marcie Perchinsky [marcie_perch@yahoo.com]
Sent: Monday, December 14, 2009 10:22 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Marcie Perchinsky
337 Kinder Rd
Scenery Hill, PA 15360-9778

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

2808

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of robert Triplett [rwrtriplett@comcast.net]
Sent: Monday, December 14, 2009 10:22 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A robert Triplett
980 Sycamore Ln
Hummelstown, PA 17036-9468
(717) 520-1429

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Ronald Nordstrom [rnordstrom@valleyschoolofligonier.org]
Sent: Monday, December 14, 2009 10:22 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Ronald Nordstrom
 597 Weaver Mill Rd
 Rector, PA 15677-1640

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Christopher Roche [jah_roche@yahoo.com]
Sent: Monday, December 14, 2009 10:21 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Christopher Roche
4811 Saint George St
Reading, PA 19606-3370

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Sasha Shyduroff [sasha@ssc.org]
Sent: Monday, December 14, 2009 10:21 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Sasha Shyduroff
 6362 Aurelia St
 Pittsburgh, PA 15206-4306
 (412) 802-6161

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Rosellen OSullivan [vaastusource@gmail.com]
Sent: Monday, December 14, 2009 10:21 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Rosellen OSullivan
 PO Box 425
 Bryn Athyn, PA 19009-0425

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

2808

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of William Ridgeway [jamye_r15@yahoo.com]
Sent: Monday, December 14, 2009 10:21 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr William Ridgeway
842 N Sumner Ave
Scranton, PA 18504-1545

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Sasha Shyduroff [sasha@ssc.org]
Sent: Monday, December 14, 2009 10:21 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Sasha Shyduroff
 6362 Aurelia St
 Pittsburgh, PA 15206-4306
 (412) 802-6161

RECEIVED

DEC 23 REGD

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Fran Interrante [fran.interrante@comcast.net]
Sent: Monday, December 14, 2009 10:21 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Fran Interrante
 4 Heron Hill Dr
 Downingtown, PA 19335-1863

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Stephen Smith [scsmith303@verizon.net]
Sent: Monday, December 14, 2009 10:21 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr and Mrs Stephen Smith
708 14th Ave
Bethlehem, PA 18018-3403
(610) 691-4359

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Anthony Panetta [panetta.anthony@gmail.com]
Sent: Monday, December 14, 2009 10:21 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Anthony Panetta
 709 W Front St
 Oil City, PA 16301-2925

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Ben Sauder [calicogarden@msn.com]
Sent: Monday, December 14, 2009 10:21 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr and Mrs Ben Sauder
 2789 Ironville Pike
 Columbia, PA 17512-9673

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Joe Elsinger [joectpa@gmail.com]
Sent: Monday, December 14, 2009 10:21 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Joe Elsinger
 189 Tom Ave Apt A
 Ephrata, PA 17522-2693

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of C Eugene Smith [ceugenesmith@gmail.com]
Sent: Monday, December 14, 2009 10:21 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A C Eugene Smith
 3725 Oakland Rd
 Bethlehem, PA 18020-1313

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Carol Jaworski [worski@aol.com]
Sent: Monday, December 14, 2009 10:21 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Carol Jaworski
 135 Phillips Dr
 Canonsburg, PA 15317-2461
 (803) 776-3578

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of
Melissa Sealie [fmissy713@peoplepc.com]
Sent: Monday, December 14, 2009 10:20 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Melissa Sealie
1029 Robeson St
Reading, PA 19604-2143

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Barbara Steele [steelefarm@embarqmail.com]
Sent: Monday, December 14, 2009 10:20 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Barbara Steele
 456 Mud College Rd
 Littlestown, PA 17340-9720

RECEIVED

DEC 28 REGD

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Matt Dallos [mattdallos@gmail.com]
Sent: Monday, December 14, 2009 10:20 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

RECEIVED

DEC 28 REGD

INDEPENDENT REGULATORY
REVIEW COMMISSION

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Matt Dallos
 1025 Karmel St
 Boalsburg, PA 16827-1650
 (814) 574-2940

2808

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of M Vlah [jvlah@zoominternet.net]
Sent: Monday, December 14, 2009 10:20 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs M Vlah
166 Collins Rd
Ellwood City, PA 16117-5104
(724) 201-0956

RECEIVED

DEC 28 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Marilyn Cooper [opi2@verizon.net]
Sent: Monday, December 14, 2009 10:20 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Marilyn Cooper
15 Leopard Rd
Berwyn, PA 19312-1881
(610) 651-2829

RECEIVED

DEC 28 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Jed Williams [jedmwilliams@yahoo.com]
Sent: Monday, December 14, 2009 10:20 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Jed Williams
615 Bainbridge St
Philadelphia, PA 19147-2111

RECEIVED

DEC 28 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Randy Francisco [further1@gmail.com]
Sent: Monday, December 14, 2009 10:20 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Randy Francisco
5820 Stanton Ave
Pittsburgh, PA 15206-2106

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of John Feissel [johnfeissel@msn.com]
Sent: Monday, December 14, 2009 10:20 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr John Feissel
 2216 Memphis St
 Philadelphia, PA 19125-2514

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

2808

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Bernard Rubb [bernierubb@aol.com]
Sent: Monday, December 14, 2009 10:20 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr and Mrs Bernard Rubb
434 Oliver Rd
Sewickley, PA 15143-1034
(412) 741-2771

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

2808

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Adam Marks [amarks555@yahoo.com]
Sent: Monday, December 14, 2009 10:19 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Adam Marks
1406 Stirling Ct
Phoenixville, PA 19460-4812
(617) 877-6183

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Mary Mester [ildiko1@ptd.net]
Sent: Monday, December 14, 2009 10:19 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Mary Mester
128 Marigold Ln
Milford, PA 18337-7323
(570) 296-4737

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Louis & Patricia Connell [loupat645@embarqmail.com]
Sent: Monday, December 14, 2009 10:19 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Louis & Patricia Connell
645 Rockview Ave
Chambersburg, PA 17202-2968
(717) 264-1964

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of June Reich [pattyr33@verizon.net]
Sent: Monday, December 14, 2009 10:19 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms June Reich
 400 Kingsley Ave
 Danville, PA 17821-8542

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Deborah Kear [debbiek914@yahoo.com]
Sent: Monday, December 14, 2009 10:19 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Deborah Kear
 225 Mountain Park Rd
 Allentown, PA 18103-7618

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Kristian Amanda Glover [glovek34@gmail.com]
Sent: Monday, December 14, 2009 10:19 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Miss Kristian Amanda Glover
337 Gaskill St Apt I
Philadelphia, PA 19147-1556
(201) 693-7454

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of PATRICIA REICH [reichp@lvaic.org]
Sent: Monday, December 14, 2009 10:19 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms PATRICIA REICH
 225 Mountain Park Rd
 Allentown, PA 18103-7618

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Michele Cyprych [cyprych@windstream.net]
Sent: Monday, December 14, 2009 10:19 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Michele Cyprych
 767 Beagle Club Rd
 Mc Donald, PA 15057-2005

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Josette Novorosky [josette.novorosky@harpercollins.com]
Sent: Monday, December 14, 2009 10:18 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Miss Josette Novorosky
 128 Walnut St
 Dunmore, PA 18512-2928

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Paula Fall [paula.fall@gmail.com]
Sent: Monday, December 14, 2009 10:18 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Paula Fall
4150 Bear Creek Blvd
Bear Creek Township, PA 18702-9719
(570) 793-5576

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Mark Dixon [mark@yert.com]
Sent: Monday, December 14, 2009 10:18 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Mark Dixon
327 Denniston Ave
Pittsburgh, PA 15206-4307
(415) 672-5537

RECEIVED

DEC 28 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Michael Miller [softail15@aol.com]
Sent: Monday, December 14, 2009 10:18 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Michael Miller
1208 Aris Dr
Erie, PA 16505-1214
(814) 836-8541

RECEIVED

DEC 23 REGD

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of David Stanger [davidstanger@msn.com]
Sent: Monday, December 14, 2009 10:18 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr David Stanger
na
Pittsburgh, PA 15217

RECEIVED

DEC 23 1969

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Bruce Barr [brucec1@ptd.net]
Sent: Monday, December 14, 2009 10:18 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Bruce Barr
240 Lepley Rd
Winfield, PA 17889-8932

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Karen Skorski [skorski1@verizon.net]
Sent: Monday, December 14, 2009 10:18 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Karen Skorski
201 West 1st St. #A2
Bloomsburg, PA 17815

RECEIVED

DEC 28 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of James Flesher [jamesflesher@gmail.com]
Sent: Monday, December 14, 2009 10:18 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr James Flesher
707 W Girard Ave Apt 2F
Philadelphia, PA 19123-1312
(267) 515-2689

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Jolynn Davis [choosejoy@nni.com]
Sent: Monday, December 14, 2009 10:18 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mrs Jolynn Davis
 201 Primrose Ln
 Trout Run, PA 17771-8924

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Michael Waskovich [mjwasko@yahoo.com]
Sent: Monday, December 14, 2009 10:18 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Michael Waskovich
 110 Bonnie Dr
 Dalton, PA 18414-9792
 (570) 563-2415

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Gimone Hall [alert@epix.net]
Sent: Monday, December 14, 2009 10:18 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Gimone Hall
55 Brennan Rd
Ottsville, PA 18942-9679

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Joseph Erdeljac [josephspectrum@comcast.net]
Sent: Monday, December 14, 2009 9:56 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

RECEIVED

DEC 23 REC'D

INDEPENDENT REGULATORY
REVIEW COMMISSION

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Joseph Erdeljac
39 Lochwood Ln
West Chester, PA 19380-6382
(610) 692-5820

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Cheryl Piperberg [cherylpiperberg07@comcast.net]
Sent: Monday, December 14, 2009 9:56 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Cheryl Piperberg
 21 E Market St Apt 4
 Marietta, PA 17547-1544
 (717) 426-2790

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

2808

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Jane Munley [jk19munley@msn.com]
Sent: Monday, December 14, 2009 9:56 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Ms Jane Munley
14 Pine Tree Rd
Mountain Top, PA 18707-1708
(570) 474-9004

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Larry and Gimone Hall [alert@epix.net]
Sent: Monday, December 14, 2009 9:56 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr and Ms Larry and Gimone Hall
 55 Brennan Rd
 Ottsville, PA 18942-9679

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION

2808

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Linda Potemken [linda2412@verizon.net]
Sent: Monday, December 14, 2009 9:56 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

N/A Linda Potemken
1504W Remington Rd
Wynnewood, PA 19096-3135
(610) 645-5341

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Bob Bingham [bbigwitz@andrew.cmu.edu]
Sent: Monday, December 14, 2009 9:56 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Bob Bingham
 7008 Thomas Blvd
 Pittsburgh, PA 15208-2435
 (412) 247-3035

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
REVIEW COMMISSION

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Dean Kendall [deankendall48@epix.net]
Sent: Monday, December 14, 2009 9:56 AM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Coal ash is filled with toxic chemicals and heavy metals. Pennsylvania

is the third largest US producer of this waste. We shouldn't allow this toxic substance anywhere near our drinking water, and this rule in no way assures me of that.

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr Dean Kendall
 157 Gernants Church Rd
 Leesport, PA 19533-8611

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION