

Tate, Michele

From: Sierra Club Membership Services [membership.services@sierraclub.org] on behalf of Daryl Lesko [daryllesko@verizon.net]
Sent: Monday, December 14, 2009 12:23 PM
To: EP, RegComments
Subject: RE: Beneficial Use of Coal Ash Proposed Rulemaking [25 PA. CODE CHS. 287 AND 290]

Dec 14, 2009

John Hanger

Dear Hanger,

Please enact safeguards to prohibit coal ash from contaminating our drinking water! We in Pittsburgh already have the 7th most toxic drinking water in the country, let's not aim for #1!

Coal combustion waste (CCW) is contaminating water sources across America including sites in Pennsylvania. Throughout the guidelines that have been proposed there are phrases like, "at the discretion of", "with department approval", or "if the Department chooses." These phrases leave significant loopholes in the guidelines and should be removed. Standards in the proposed Chapter 290 regulations must be enforceable.

This toxic coal ash should be sealed with the use of composite liners and placement guidelines that ensure isolation from groundwater. These sites should be monitored quarterly for at least thirty years after ash placement is finished.

The rules should require that pollutant levels are fully monitored surrounding the placement site. And if a monitoring point shows higher levels of contaminants than prior to ash placement it should trigger a requirement to investigate the causes of those increases.

Also financial assurance should be posted by operators before permits are issued and maintained throughout required monitoring at a site in amounts sufficient to monitor and abate pollution from the ash. And the public should be permitted to participate in the entire permitting process.

Sincerely,

Mr and Mrs Daryl Lesko
 2670 Santa Barbara Dr
 Bethel Park, PA 15102-1728
 (412) 831-9773

RECEIVED

DEC 23 2009

INDEPENDENT REGULATORY
 REVIEW COMMISSION