



Stephen Hoffman

From: ecomment@pa.gov
Sent: Wednesday, March 23, 2022 4:50 PM
To: Environment-Committee@pasenate.com; environmentalcommittee@pahouse.net; regcomments@pa.gov; Troutman, Nick; Glendon King; Franzese, Evan B.; Eyster, Emily; IRRC
Cc: c-jflanaga@pa.gov
Subject: Comment received - Proposed Rulemaking: Safe Drinking Water PFAS MCL Rule (#7-569)

CAUTION: **EXTERNAL SENDER** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.



Re: eComment System

The Department of Environmental Protection has received the following comments on Proposed Rulemaking: Safe Drinking Water PFAS MCL Rule (#7-569).

Commenter Information:

Charles C. Walbridge
(ccwalbridge@cs.com)
230 Penllyn Pike
Blue Bell, PA 19422 US

Comments entered:

To: The Pennsylvania Environmental Quality Board (EQB)

I strongly support proposed rules to set maximum contaminant levels (MCLs) for highly toxic PFOA (Perfluorooctanoic acid) and PFOS (Perfluorooctanesulfonic acid). PFOA and PFOS, dubbed "forever chemicals", are two of the most dangerous per- and polyfluoroalkyl substances (PFAS) and among the most prevalently found in Pennsylvania's water supplies. The highly toxic compounds never break down in the environment, build up in your blood, and are spread across Pennsylvania. Because they are unregulated by the federal government, states are adopting their own standards to require that these highly toxic contaminants be removed from drinking water. Pennsylvania's drinking water needs to be cleaned of PFAS compounds now!

Sincerely,
Charles C. Walbridge

No attachments were included as part of this comment.

Please contact me if you have any questions.

Sincerely,
Jessica Shirley

Jessica Shirley
Director, Office of Policy
PA Department of Environmental Protection
Rachel Carson State Office Building
P.O. Box 2063
Harrisburg, PA 17105-2063
Office: 717-783-8727
Fax: 717-783-8926
ecomment@pa.gov