



HSOA Journal of Gerontology and Geriatric Medicine

Commentary

Time to Ensure Sufficient Nursing Home Staffing and Eliminate Inequities in Care

Charlene Harrington^{1*}, Susan Chapman¹, Elizabeth Halifax², Mary Ellen Dellefield³ and Anne Montgomery⁴

¹Department of Social and Behavioral Sciences, University of California, San Francisco, California, USA

²Department of Physiological Nursing, School of Nursing, University of California, San Francisco, California, USA

³VA San Diego Healthcare System, San Diego, California, USA

⁴Center for Eldercare Improvement, Altarum, Washington, D.C., USA

Introduction

The overwhelming nursing home resident infection and death rates from the COVID-19 pandemic has led to the question: What policies can best protect nursing home residents now and in the future? In this article we present data that inadequate nurse staffing levels and high staff turnover rates are the fundamental underlying causes of poor quality care in many nursing homes. Understaffing and turnover, especially at for-profit companies and homes with Private Equity (PE) investors, have resulted in unnecessary infections and deaths before and during the pandemic. The poor care has resulted in wide inequities for racial and ethnic minorities and residents on Medicaid as well as disparities for racial and ethnic minority staff. Solutions to these chronic challenges and poor performance are offered in this commentary.

Understaffing and High Turnover Rates Prior to the Pandemic

In the 2017-18 period, 75 percent of U.S. nursing homes almost never met the CMS expected RN staffing levels based on resident acuity and inconsistent staffing levels were observed, especially on weekends and holidays [1]. In 2018, the Office of the Inspector General found that, for least 30 days per year, seven percent of nursing homes did not meet the requirements of having one RN on duty at

*Corresponding author: Charlene Harrington, Department of Social and Behavioral Sciences, University of California, San Francisco, 490 Illinois St. Fl 12, San Francisco, CA 94143, USA, Tel: +1 4152694080; E-mail: Charlene.Harrington@ucsf.edu

Citation: Harrington C, Chapman S, Halifax E, Dellefield ME, Montgomery A (2021) Time to Ensure Sufficient Nursing Home Staffing and Eliminate Inequities in Care. J Gerontol Geriatr Med 7: 099.

Received: May 26, 2021; Accepted: June 03, 2021; Published: June 10, 2021

Copyright: © 2021 Harrington C, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

least eight hours a day and one licensed nurse on duty 24 hours a day. Another 47 percent of nursing homes did not meet these requirements for 1-29 days per year [2].

Very high staff turnover rates were ubiquitous prior to the pandemic as turnover rates averaged 128 percent for nurses and 141 percent for RNs in 2016 [3]. Turnover rates were higher in CMS homes with low-quality ratings [3], for-profit, chain-owned facilities, those where most residents were receiving Medicaid and those located in urban and high poverty areas. Although high turnover rates are associated with inconsistent and poor quality care, high turnover rates have persisted for years because they result in a net savings to nursing homes [4]. New nursing assistants are hired at minimum wages and those who leave fail to gain wage increases commensurate with experience.

Inequities in Nursing Homes Staffing for Racial and Ethnic Minority Residents

Facilities with a higher concentration of racial and ethnic minority residents are more likely to have lower RN levels and to be staffed by less-skilled workers [5]. This means there is a higher concentration of racial and ethnic minority residents living in poor quality nursing homes with high deficiency levels, due to low staffing [6]. Racial and ethnic minorities, who are more likely to be dually eligible for Medicaid and Medicare than whites, are almost 10 percentage points more likely than non-duals to be admitted to a low-quality nursing homes [7]. Dual-eligibles, more likely to be discharged to nursing homes with low staffing ratios, are subsequently more likely to become long-stay nursing home residents than Medicare-only beneficiaries [8].

For-Profit and Private Equity Nursing Homes Have Lower Staffing and Poor Care

Staffing levels in for-profit nursing homes, including nursing home chains, had 16 percent fewer staff than nonprofits after accounting for differences in residents' needs in 2017. Nonprofit and government facilities provide higher staffing and quality care [9]. Nurse staffing wages, benefits, and pensions (especially for RNs) are major costs for nursing homes and are often cut by for-profit owners who are motivated to maximize profits. Private Equity (PE) companies, representing about 9 percent of nursing home owners in 2015, have excelled at extracting profits from nursing homes by reducing staffing and services. PE buyouts of nursing homes from 2000 to 2017, when compared to acquisitions by non-PE companies, resulted in declines in resident health and regulatory compliance related to cuts to front-line nursing staff [10]. PE ownership increased short-term mortality of Medicare patients by 10 percent (or 20,000 lives) and resulted in declines in resident well-being, staffing and quality standards [10].

During the Pandemic, Low Staffing Levels Predict COVID-19 Infections

Early in the pandemic, California nursing homes with RN staffing levels below the recommended minimum of .75 hours per resident day had a twice the probability of having COVID-19 infections [11].

Nursing homes with higher Medicare five-star ratings and higher RN staffing levels, adjusted for acuity, were less likely to have residents infected with COVID-19. In Connecticut, a twenty-minute increase in RN staffing per resident per day was associated with 22 percent fewer COVID-19 cases and 26 percent fewer COVID-19 deaths [12]. Nursing homes with lower star ratings that reflect staffing, had an increased probability of having COVID-19 resident cases or deaths [13]. A study of US nursing homes with one or more COVID-19 cases found that high nurse aide and total nursing hours were associated with a lower probability of a COVID-19 outbreak and with fewer deaths [14]. In addition, a study of 8 states found that nursing homes with higher star ratings for staffing had lower odds ratios of having high COVID-19 resident case rates [15].

During the COVID-19 pandemic, one of every 6 nursing homes self-reported shortages of licensed nurses and nurse aides, but shortages varied widely across states, especially in homes with COVID-19 resident and staff infections [16]. Not surprisingly, nursing homes with higher previous RN staffing levels before the pandemic and those with higher overall quality ratings were less likely to report shortages. Black and Latinx nursing home residents have been disproportionately affected by COVID-19 infections [17]. Nationally, nursing homes with more racial/ethnic minority residents have had more confirmed resident cases and/or deaths and more staff cases [18].

Research shows that for-profit nursing homes in general had higher COVID-19 infection and death rates. A California study showed that COVID-19 death rates are higher in for-profit homes [13]. Nursing home chains had a higher probability of having a COVID-19 case and for-profit nursing homes were more likely to have higher size outbreaks [19]. For-profit nursing homes in three states had higher COVID-19 death rates [20]. Nursing homes with private equity investors had higher confirmed COVID cases than nonprofit and government nursing homes in the unadjusted outcomes and higher case rates than government nursing homes in the adjusted outcomes [21].

Failed Nursing Home Staffing Standards

Federal nursing home minimum staffing standards have not been updated for over 30 years. The Nursing Home Reform Act of 1987, requires certified nursing homes to have a licensed nurse on duty 24 hours a day, an RN on duty at least 8 hours every day, an RN director of nursing, and “sufficient” staff and services to help their residents attain or maintain the highest possible level of physical, mental and psychosocial well-being [22]. In 2016, the Obama administration added new requirements for staffing to meet resident care (or acuity) needs and to conduct annual facility assessments of the resources needed to provide competent care [23]. However, a specific minimum standard was not established. Research has demonstrated the importance of having a minimum of 0.75 RN Hours Per Resident Day (hprd) and a total of 4.1 nursing hprd to prevent harm and jeopardy for long stay residents [24]. These standards have since been verified in other studies [25] and have been endorsed by professional associations and experts [26,27].

Federal and State Failure to Enforce Staffing Violations

Nursing homes rarely face consequences for understaffing, because CMS mischaracterizes almost all staffing deficiencies (over 96 percent) as “not causing harm” [28]. Even when CMS finds that there are staffing deficiencies that pose an “immediate jeopardy” to

residents, nursing homes are often not sanctioned. Few staffing deficiencies were identified in 2019 and dropped sharply in 2020 [29].

Dangerous Work for Staff Who Receive Low Wages and Benefits

Before the pandemic, nursing positions in nursing homes were among the most dangerous jobs in the country with high injury rates associated with lifting and transferring residents [30]. High occupational exposure to COVID-19 made the job of the almost 1.5 million nursing home staff even more dangerous [31]. Low wages, low benefits and heavy workloads are primarily related to the high nursing turnover rates. RNs in nursing homes receive much lower wages than those for hospital RNs [32]. Most resident care is provided by nursing assistants who make minimum wages (averaging \$13.38 per hour and an annual income of \$22,200 in 2018) [33]. Nursing assistant wages in nursing homes are lower than for comparable entry level jobs for janitors, retail sales persons and customer service representatives [34]. Altogether, 15 percent of nursing home workers live below 100 percent of the federal poverty level, while 44 percent live below 200 percent of the poverty line [33]. As a result, many nursing home staff work in more than one facility, which was found to be a factor that increased the spread of COVID-19 between facilities during the pandemic [35].

In nursing homes, 38 percent of nursing assistants do not have health insurance and 36 percent of workers require some form of public assistance, including Medicaid, food and cash assistance. Many employees do not have sick leave and therefore cannot afford to stay home from work which contributed to the spread of COVID-19 [33].

Disparities for Women and Racial and Ethnic Minority Nursing Home Staff

Most nursing home nursing assistants (92 percent) are female, 57 percent are from racial and ethnic minority groups, and 22 percent were born outside of the US in 2017 [36]. Women of color working in nursing homes are more likely to live in poverty or low-income households and to require public assistance than white women or men. Systemic low pay and benefits therefore result in and perpetuate racial and ethnic disparities and income inequities. Shortages of staff lead to heavy workloads, lack of continuity of care, and poor-quality services.

Policies to Ensure Adequate Staffing

Establishing minimum staffing standards

Before and during the pandemic, staffing levels in the majority of nursing homes, particularly in for-profit companies and chains, have been deeply inadequate to meet regulatory standards to provide safe, high quality care to residents. Now is the time to adopt specific minimum staffing standards to meet the requirement of “sufficient” staffing. The minimum standard should be 0.75 RN Hours Per Resident Day (hprd) with 2.8 nursing assistant hprd and a total of 4.1 nursing hprd, and a requirement to provide RN staffing 24-hours a day with higher staffing to reflect resident acuity as needed. Staffing levels need to be adjusted upward for higher acuity as the current regulations require [37].

Congress member Schakowsky has recently reintroduced a staffing and nursing home bill H.R. 598, the Quality Care for Nursing Home Residents and Workers during COVID-19 and Beyond Act

which would require minimum nursing home staffing, worker safety and financial transparency along with enforcement provisions. The Senate companion legislation, led by Senator Blumenthal, is S. 315, the Quality Care for Nursing Home Residents Act. Alternatively, President Biden could issue an executive order and regulatory changes to ensure adequate staffing levels in all nursing homes and clear enforcement procedures.

Enforcing staffing standards

As the enforcer of staffing standards, CMS should monitor and audit the payroll-based journal staffing data submitted to CMS quarterly and use this information to ensure adequate staffing levels are met. CMS should revise its vague guidelines on staffing and establish that inadequate staffing violations are automatically classified as either “potential harm,” “actual harm,” or “immediate jeopardy,” depending on the scope of the problem. Pre-established penalties for violations should be issued together with a denial of payment action for new admissions received until staffing levels are deemed to meet federal requirements. Temporary managers should be used when necessary to achieve compliance.

Increasing wages and benefits

Sick leave and health insurance requirements are needed to stabilize the workforce, prevent workers from coming to work sick, reduce the need for workers to work multiple jobs, and address racial/ethnic disparities and income inequities. COVID-19 emergency sick leave provisions in the bipartisan Families First Coronavirus Response Act (FFCRA) found that states that implemented two weeks of paid sick leave had statistically significant fewer confirmed COVID-19 cases per day [38]. At the same time, nursing homes need to provide adequate wages and benefits to recruit and retain competent and experienced nursing staff. A recent study by Leading Age estimated that raising minimum wages of nursing assistants by 15 percent would provide a living wage. This increase would translate into reduced turnover and a stabilized workforce, decreased staff shortages, increased hours that individuals are willing to work, and increased work productivity. In addition, implementing such a policy would have a substantial positive effect on the economy as a whole [39]. Wage and benefit increases should be built into the Medicare and Medicaid payment systems along with hazard pay to compensate for the risk to staff and ensure adequate staffing during infection outbreaks.

Conclusion

While the worst of the pandemic may be over as vaccines are available, the inadequate staffing levels and wages and benefits result in unacceptably poor quality. It is time to ensure that nursing homes protect not only their residents but also their caregivers.

References

1. Geng F, Stevenson DG, Grabowski DC (2019) Daily nursing home staffing levels highly variable, often below CMS expectations. *Health Aff (Millwood)* 38: 1095-1100.
2. Office of the Inspector General (2020) Some Nursing Homes’ Reported Staffing Levels in 2018 Raise Concerns; Consumer Transparency Could Be Increased. OIG, USA.
3. Gandhi A, Yu H, Grabowski DC (2021) High nursing staff turnover in nursing homes offers important quality information. *Health Aff (Millwood)* 40: 384-391.
4. Mukamel DB, Spector WD, Limcangco R, Wang Y, Feng Z, et al. (2009) The costs of turnover in nursing homes. *Med Care* 47: 1039-1045.

5. Li Y, Harrington C, Temkin-Greener H, You K, Cai X, et al. (2015) Deficiencies In Care At Nursing Homes And Racial/Ethnic Disparities Across Homes Fell, 2006-11. *Health Aff (Millwood)* 34: 1139-1146.
6. Li Y, Harrington C, Mukamel DB, Cen X, Cai X, et al. (2015) Nurse Staffing Hours At Nursing Homes With High Concentrations Of Minority Residents, 2001-11. *Health Aff (Millwood)* 34: 2129-2137.
7. Sharma H, Perrailon MC, Werner RM, Grabowski DC, Konetzka RT (2020) Medicaid and nursing home choice: Why do duals end up in low-quality facilities? *J Appl Gerontol* 39: 981-990.
8. Rahman M, Gozalo P, Tyler D, Grabowski DC, Trivedi A, et al. (2014) Dual eligibility, selection of skilled nursing facility, and length of Medicare paid postacute stay. *Med Care Res Rev* 71: 384-401.
9. Harrington C, Olney B, Carrillo H, Kang T (2012) Nurse staffing and deficiencies in the largest for-profit nursing home chains and chains owned by private equity companies. *Health Serv Res* 47: 106-128.
10. Gupta A, Howell ST, Yannelis C, Gupta A (2021) Does private equity investment in healthcare benefit patients? Evidence from nursing Homes. NBER, Philadelphia, PA, USA.
11. Harrington C, Ross L, Chapman S, Halifax E, Spurlock B, et al. (2020) Nurse Staffing and Coronavirus Infections in California Nursing Homes. *Policy Polit Nurs Pract* 21: 174-186.
12. Li Y, Temkin-Greener H, Shan G, Cai X (2020) COVID-19 infections and deaths among Connecticut nursing home residents: Facility correlates. *J Am Geriatr Soc* 68: 1899-1906.
13. He M, Li Y, Fang F (2020) Is there a link between nursing home reported quality and COVID-19 cases? Evidence from California skilled nursing facilities. *J Am Med Dir Assoc* 21: 905-908.
14. Gorges RJ, Konetzka RT (2020) Staffing Levels and COVID-19 Cases and Outbreaks in U.S. Nursing Homes. *JAGS* 68: 2462-2466.
15. Figueroa JF, Wadhwa RK, Papanicolas I, Riley K, Zheng J, et al. (2020) Association of nursing home ratings on health inspections, quality of care, and nurse staffing with COVID-19 cases. *JAMA* 324: 1103-1105.
16. Xu H, Intrator O, Bowlis JR (2020) Shortages of Staff in Nursing Homes During the COVID-19 Pandemic: What are the Driving Factors? *J Am Med Dir Assoc* 21: 1371-1377.
17. Gebeloff R, Ivory D, Richtel M, Smith M, Yourish K, et al. (2020) The Striking Racial Divide in How Covid-19 Has Hit Nursing Homes. *The New York Times*, New York, USA.
18. Li Y, Cen X, Cai X, Temkin-Greener H (2020) Racial and ethnic disparities in COVID-19 infections and deaths across U.S. nursing homes. *J Am Geriatr Soc* 68: 2454-2461.
19. Abrams HR, Loomer L, Gandhi A, Grabowski DC (2020) Characteristics of U.S. Nursing Homes with COVID-19 Cases. *J Am Geriatr Soc* 68: 1658-1656.
20. Unruh MA, Yun H, Zhang Y, Braun RT, Jung HY (2020) Nursing home characteristics associated with COVID-19 deaths in Connecticut, New Jersey, and New York. *J Am Med Dir Assoc* 21: 1001-1003.
21. Braun RT, Yun H, Casalino LP, Myslinski Z, Kuwonza FM, et al. (2020) Comparative performance of private equity-owned US nursing homes during the COVID-19 pandemic. *JAMA Netw Open* 3: 2026702.
22. Omnibus Budget Reconciliation Act of 1987 (OBRA) (1987). Public Law 100-203. Subtitle C: Nursing home reform; 42 U.S.C. § 1395i-3(b)(4)(C) (i) (Medicare); § 1396r(b)(4) (C)(i) (Medicaid); 42 C.F.R. § 483.30(a)(1). OBRA.
23. Centers for Medicare & Medicaid Services (2016) Nursing Homes: Medicare and Medicaid Programs; Reform of Requirements for Long-Term Care Facilities. CMS, Baltimore, USA.
24. Centers for Medicare & Medicaid Services (2001) Appropriateness of Minimum Nurse Staffing Ratios in Nursing Homes. Report to Congress: Phase II Final. Volumes I. CMS, Baltimore, USA.

25. Schnelle JF, Schroyer LD, Saraf AA, Simmons SF (2016) Determining nurse aide staffing requirements to provide care based on resident workload: A discrete event simulation model. *J Am Med Dir Assoc* 17: 970-977.
26. American Nurses' Association (2014) Nursing Staffing Requirements to Meet the Demands of Today's Long Term Care Consumer: Recommendations from the Coalition of Geriatric Nursing Organizations (CGNO). ANA, Maryland, USA.
27. Kolanowski A, Cortes TA, Mueller C, Bowers B, Boltz M, et al. (2021) A call to the CMS: Mandate adequate professional nurse staffing in nursing homes. *Am J Nurs* 121: 22-27.
28. Center for Medicare Advocacy (2014) Staffing deficiencies in nursing facilities: rarely cited, seldom sanctioned. Center for Medicare Advocacy, Washington, D.C., USA.
29. Edelman T (2019) Nurse staffing deficiencies. Center for Medicare Advocacy, Washington, D.C., USA.
30. Campbell S (2018) Workplace Injuries and the Direct Care Workforce. Issue Brief, PHI, New York, USA.
31. U.S. Bureau of Labor Statistics (2020) Table B-1. Employees on nonfarm payrolls by industry sector and selected industry detail. U.S. Bureau of Labor Statistics, Washington, D.C., USA.
32. U.S. Bureau of Labor Statistics (2020) Occupational Employment and Wages, May 2020. U.S. Bureau of Labor Statistics, Washington, D.C., USA.
33. PHI (2020) It's time to care: A detailed profile of America's direct care workforce. PHI, New York, USA.
34. PHI (2020) Competitive Disadvantage: Direct Care Wages Are Lagging Behind. PHI, New York, USA.
35. Centers for Disease Control and Prevention (2020) COVID-19 in a Long-Term Care Facility - King County, Washington, February 27–March 9, 2020. CDC, Atlanta, Georgia, USA.
36. PHI (2018-19) Data from Bureau of Labor Statistics (BLS) Occupational Employment Statistics (OES) program to May 2019 State Occupational Employment and Wage Estimates. PHI, New York, USA.
37. Harrington C, Dellefield ME, Halifax E, Fleming ML, Bakerjian D (2020) Appropriate Nurse Staffing Levels for U.S. Nursing Homes. *Health Serv Insights* 13: 1178632920934785.
38. Pichler S, Wen K, Ziebarth NR (2020) COVID-19 emergency sick leave has helped flatten the curve in the United States. *Health Aff (Millwood)* 39: 2197-2204.
39. Weller C, Almeida B, Cohen M, Stone, R (2020) Making care work pay. LeadingAge, LTSS Center, Boston, USA.



- Advances In Industrial Biotechnology | ISSN: 2639-5665
- Advances In Microbiology Research | ISSN: 2689-694X
- Archives Of Surgery And Surgical Education | ISSN: 2689-3126
- Archives Of Urology
- Archives Of Zoological Studies | ISSN: 2640-7779
- Current Trends Medical And Biological Engineering
- International Journal Of Case Reports And Therapeutic Studies | ISSN: 2689-310X
- Journal Of Addiction & Addictive Disorders | ISSN: 2578-7276
- Journal Of Agronomy & Agricultural Science | ISSN: 2689-8292
- Journal Of AIDS Clinical Research & STDs | ISSN: 2572-7370
- Journal Of Alcoholism Drug Abuse & Substance Dependence | ISSN: 2572-9594
- Journal Of Allergy Disorders & Therapy | ISSN: 2470-749X
- Journal Of Alternative Complementary & Integrative Medicine | ISSN: 2470-7562
- Journal Of Alzheimers & Neurodegenerative Diseases | ISSN: 2572-9608
- Journal Of Anesthesia & Clinical Care | ISSN: 2378-8879
- Journal Of Angiology & Vascular Surgery | ISSN: 2572-7397
- Journal Of Animal Research & Veterinary Science | ISSN: 2639-3751
- Journal Of Aquaculture & Fisheries | ISSN: 2576-5523
- Journal Of Atmospheric & Earth Sciences | ISSN: 2689-8780
- Journal Of Biotech Research & Biochemistry
- Journal Of Brain & Neuroscience Research
- Journal Of Cancer Biology & Treatment | ISSN: 2470-7546
- Journal Of Cardiology Study & Research | ISSN: 2640-768X
- Journal Of Cell Biology & Cell Metabolism | ISSN: 2381-1943
- Journal Of Clinical Dermatology & Therapy | ISSN: 2378-8771
- Journal Of Clinical Immunology & Immunotherapy | ISSN: 2378-8844
- Journal Of Clinical Studies & Medical Case Reports | ISSN: 2378-8801
- Journal Of Community Medicine & Public Health Care | ISSN: 2381-1978
- Journal Of Cytology & Tissue Biology | ISSN: 2378-9107
- Journal Of Dairy Research & Technology | ISSN: 2688-9315
- Journal Of Dentistry Oral Health & Cosmesis | ISSN: 2473-6783
- Journal Of Diabetes & Metabolic Disorders | ISSN: 2381-201X
- Journal Of Emergency Medicine Trauma & Surgical Care | ISSN: 2378-8798
- Journal Of Environmental Science Current Research | ISSN: 2643-5020
- Journal Of Food Science & Nutrition | ISSN: 2470-1076
- Journal Of Forensic Legal & Investigative Sciences | ISSN: 2473-733X
- Journal Of Gastroenterology & Hepatology Research | ISSN: 2574-2566
- Journal Of Genetics & Genomic Sciences | ISSN: 2574-2485
- Journal Of Gerontology & Geriatric Medicine | ISSN: 2381-8662
- Journal Of Hematology Blood Transfusion & Disorders | ISSN: 2572-2999
- Journal Of Hospice & Palliative Medical Care
- Journal Of Human Endocrinology | ISSN: 2572-9640
- Journal Of Infectious & Non Infectious Diseases | ISSN: 2381-8654
- Journal Of Internal Medicine & Primary Healthcare | ISSN: 2574-2493
- Journal Of Light & Laser Current Trends
- Journal Of Medicine Study & Research | ISSN: 2639-5657
- Journal Of Modern Chemical Sciences
- Journal Of Nanotechnology Nanomedicine & Nanobiotechnology | ISSN: 2381-2044
- Journal Of Neonatology & Clinical Pediatrics | ISSN: 2378-878X
- Journal Of Nephrology & Renal Therapy | ISSN: 2473-7313
- Journal Of Non Invasive Vascular Investigation | ISSN: 2572-7400
- Journal Of Nuclear Medicine Radiology & Radiation Therapy | ISSN: 2572-7419
- Journal Of Obesity & Weight Loss | ISSN: 2473-7372
- Journal Of Ophthalmology & Clinical Research | ISSN: 2378-8887
- Journal Of Orthopedic Research & Physiotherapy | ISSN: 2381-2052
- Journal Of Otolaryngology Head & Neck Surgery | ISSN: 2573-010X
- Journal Of Pathology Clinical & Medical Research
- Journal Of Pharmacology Pharmaceutics & Pharmacovigilance | ISSN: 2639-5649
- Journal Of Physical Medicine Rehabilitation & Disabilities | ISSN: 2381-8670
- Journal Of Plant Science Current Research | ISSN: 2639-3743
- Journal Of Practical & Professional Nursing | ISSN: 2639-5681
- Journal Of Protein Research & Bioinformatics
- Journal Of Psychiatry Depression & Anxiety | ISSN: 2573-0150
- Journal Of Pulmonary Medicine & Respiratory Research | ISSN: 2573-0177
- Journal Of Reproductive Medicine Gynaecology & Obstetrics | ISSN: 2574-2574
- Journal Of Stem Cells Research Development & Therapy | ISSN: 2381-2060
- Journal Of Surgery Current Trends & Innovations | ISSN: 2578-7284
- Journal Of Toxicology Current Research | ISSN: 2639-3735
- Journal Of Translational Science And Research
- Journal Of Vaccines Research & Vaccination | ISSN: 2573-0193
- Journal Of Virology & Antivirals
- Sports Medicine And Injury Care Journal | ISSN: 2689-8829
- Trends In Anatomy & Physiology | ISSN: 2640-7752

Submit Your Manuscript: <https://www.heraldopenaccess.us/submit-manuscript>