

FORM LETTER A 134-229

Perry Kendall
8307 Flourtown Avenue
Wyndmoor, PA 19038-7924



April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Posthaste:: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

Recently approved enhanced safety standards set by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting and public awareness for intrastate hazardous liquid pipelines is imperative. For the greater good posthaste please approve these long-overdue stronger standards.

Egregiously according to the PUC, 71 hazardous liquid pipeline occurred accidents in Pennsylvania since 2010 resulting in a release or spill. Between 2017 and 2018 alone, one pipeline operator, Energy Transfer, had 4 accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12, Å pipeline that was later repurposed for Mariner East. Frequency of these horrifying leaks is wholly unacceptable. Knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities your constituent, Å live in terror.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but would address some of those witnessed across Pennsylvania during Mariner East construction. Below are a few examples:

--Residents witnessed construction failures countless times on Mariner East resulting in inadvertent returns of drilling fluids, subsidence events & contamination of precious water wells, rivers & lakes as a result of poor planning & inadequate analysis beforehand of geological & environmental impacts.

-- In a number of locations, particularly in High Consequence Areas in Chester County & Delaware County, Mariner East pipes were installed nearly touching, far closer than PHMSA's suggested 12 inches apart.

--Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East & were told misinformation & outright lies, in addition to feeling threatened & pressured into signing easements.

For the greater good protect us from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these hazardous pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Perry Kendall
8307 Flourtown Avenue
Wyndmoor PA, 19038-7924
pearemail@gmail.com

Lindarae Schmidt
136 dinnerbell road
Butler, PA 16002-0472

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Lindarae Schmidt
136 dinnerbell road
Butler PA, 16002-0472
lindarae-schmidt@hotmail.com

Emily Pitner
27 North Ave
Washington, PA 15301-3546

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Emily Pitner
27 North Ave
Washington PA, 15301-3546
widdle_washu@yahoo.com

A D
6 Prosperity street
Monongahela, PA 15063-3632

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

A D
6 Prosperity street
Monongahela PA, 15063-3632
msappledee@aol.com

Elizabeth Dale Harris
79 Ardmore Avenue
Lansdowne, PA 19050-1863

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Elizabeth Dale Harris
79 Ardmore Avenue
Lansdowne PA, 19050-1863
dragonflywom2@gmail.com

Jennifer Holmes
438 S 44th St
Philadelphia, PA 19104-3927

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,Ä pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Jennifer Holmes
438 S 44th St
Philadelphia PA, 19104-3927
jnaholmes@yahoo.com

David Meade
115 N Pennsylvania Ave
Apollo, PA 15613-1353

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

David Meade
115 N Pennsylvania Ave
Apollo PA, 15613-1353
dvdmd7@gmail.com

Anna Tangi
2642 S Alder St
Philadelphia, PA 19148-4410

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Anna Tangi
2642 S Alder St
Philadelphia PA, 19148-4410
tangianna@verizon.net

Susan Babbitt
1010 Pine St. #2r
Philadelphia, PA 19107-6073

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Susan Babbitt
1010 Pine St. #2r
Philadelphia PA, 19107-6073
philad49@att.net

virginia bortoluzzo
401 North Michigan Avenue
chicago, IL 60611-4255

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

virginia bortoluzzo
401 North Michigan Avenue
chicago IL, 60611-4255
virginia_gb@yahoo.com.br

Rebecca Ashkettle
2078 Pioneer
Pittsburgh, PA 15226-1346

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,Ä pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Rebecca Ashkettle
2078 Pioneer
Pittsburgh PA, 15226-1346
beckyashkettle@yahoo.com

Melva Meyer
297 Milanville Road, PO Box 233
Beach Lake, PA 18405-0233

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Melva Meyer
297 Milanville Road, PO Box 233
Beach Lake PA, 18405-0233
melvameyer@hotmail.com

Philip Seo
1211 Hawthorne Lane
Fort Washington, PA 19034-1723

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Philip Seo
1211 Hawthorne Lane
Fort Washington PA, 19034-1723
philseo77@gmail.com

Bob Steininger
100 Westridge Place
Phoenixville, PA 19460-3376

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Bob Steininger
100 Westridge Place
Phoenixville PA, 19460-3376
steininger.bob@gmail.com

Todd Morris
587 Porters Mill Rd
Spring City, PA 19475-3222

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Todd Morris
587 Porters Mill Rd
Spring City PA, 19475-3222
toddmorris@yahoo.com

Al Ferrucci
236 Spahr St
Pittsburgh, PA 15232-1722

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Al Ferrucci
236 Spahr St
Pittsburgh PA, 15232-1722
albert.ferrucci@gmail.com

Bob Schmetzer
4008 Jordan Street
South Heights, PA 15081-1029

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Bob Schmetzer
4008 Jordan Street
South Heights PA, 15081-1029
schmetzerbob129@gmail.com

Peter Blasi
12 Demark Rd
Pittston, PA 18640-6117

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Peter Blasi
12 Demark Rd
Pittston PA, 18640-6117
ptblasi22@aol.com

Barbara Bruce
205 Littlejohn Lane
Johnstown, PA 15905-1135

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in any densely populated community.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.

- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.

- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Barbara Bruce
205 Littlejohn Lane
Johnstown PA, 15905-1135
bbruce2@breezeline.net

Eric Pash
373 Degaetano Road
Indiana, PA 15701-8446

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Eric Pash
373 Degaetano Road
Indiana PA, 15701-8446
epash@diamondpharmacy.com

Wendy Bishop
216 Mowry Rd
Monaca, PA 15061-2224

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Wendy Bishop
216 Mowry Rd
Monaca PA, 15061-2224
wendybishop@hotmail.com

Deanne O,ÄDonnell
137 Ron Dr.
Derry, PA 15627-2671

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,Ä pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Deanne O,ÄöDonnell
137 Ron Dr.
Derry PA, 15627-2671
hottdeanne@hotmail.com

Christina Handley
278 Sarver Rd
Sarver, PA 16055-9613

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Christina Handley
278 Sarver Rd
Sarver PA, 16055-9613
christina_minich@hotmail.com

Cindy M. Dutka
6547 Haverford Avenue Apt. #4
Philadelphia, PA 19151-3740

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Cindy M. Dutka
6547 Haverford Avenue Apt. #4
Philadelphia PA, 19151-3740
mdmsass@aol.com

Elizabeth Seltzer
11 W. Ridge Rd.
Media, PA 19063-2542

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Elizabeth Seltzer
11 W. Ridge Rd.
Media PA, 19063-2542
ees01@earthlink.net

Kimberly Seger
11373 US Route 422
Kittanning, PA 16201-4337

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Kimberly Seger
11373 US Route 422
Kittanning PA, 16201-4337
kimmiland@hotmail.com

Thomas Campanini
1030 Crest Way #204
York, PA 17403-9126

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Thomas Campanini
1030 Crest Way #204
York PA, 17403-9126
tachair@verizon.net

Cindy March
170 Lake St.
Dallas, PA 18612-1015

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Cindy March
170 Lake St.
Dallas PA, 18612-1015
cindy.march46@gmail.com

Sharon Sauro
114 Mallard Rd.
Southampton, PA 18966-2113

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Sharon Sauro
114 Mallard Rd.
Southampton PA, 18966-2113
sharonsauro@yahoo.com

Martha Sharples
32 Tenmore Road
Haverford, PA 19041-1224

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Martha Sharples
32 Tenmore Road
Haverford PA, 19041-1224
lily.mbs@gmail.com

M Asbell
247 MOUNTAIN MARY ROAD
Boyertown, PA 19512-7822

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

M Asbell
247 MOUNTAIN MARY ROAD
Boyertown PA, 19512-7822
asbellantiques@dejazzd.com

Robert Rossachacj
110 E Knowles Ave.
Glenolden, PA 19036-2105

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Robert Rossachacj
110 E Knowles Ave.
Glenolden PA, 19036-2105
rossachacj@aol.com

Leonard Douglass
923 Beaver St
Clairton, PA 15025-1307

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Leonard Douglass
923 Beaver St
Clairton PA, 15025-1307
snook@boyerpentek.com

THOMAS BAER
79537 Reamer St
Greensburg, PA 15601-7903

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

THOMAS BAER
79537 Reamer St
Greensburg PA, 15601-7903
baertc@verizon.net

Donna Logan
2726 Carter Ave
Erie, PA 16506-2120

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Donna Logan
2726 Carter Ave
Erie PA, 16506-2120
dsuperpta@yahoo.com

Paul Palla
45 N Carlisle St
Greencastle, PA 17225-1421

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

STOP HELPING FOSSIL FUELS KILL US!!

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Paul Palla
45 N Carlisle St
Greencastle PA, 17225-1421
paulpalla69@yahoo.com

Susan Porter
2134 Hemlock Farms
Lords Valley, PA 18428-9074

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Susan Porter
2134 Hemlock Farms
Lords Valley PA, 18428-9074
howsue@ptd.net

Susan Thompson
23516 Shannondell Dr.,
Norristown, Pa, PA 19403-5675

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Susan Thompson
23516 Shannondell Dr.,
Norristown, Pa PA, 19403-5675
suzzeliza@aol.com

Richard D'Arezzo
601 Wickshire Cir.
Lititz, PA 17543-7668

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Richard D'Arezzo
601 Wickshire Cir.
Lititz PA, 17543-7668
rdarezzo@bellsouth.net

Pat Northeimer
401 E 2nd St
Coudersport, PA 16915-9429

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Pat Northeimer
401 E 2nd St
Coudersport PA, 16915-9429
patnortheimer@yahoo.com

Ferne Founds
7918 Schaefer Crest
Breinigsville, PA 18031-8710

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Ferne Founds
7918 Schaefer Crest
Breinigsville PA, 18031-8710
fernefounds@yahoo.com

Donald Rowat
1913 Carter Rd.
Folcroft, PA 19032-1602

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Donald Rowat
1913 Carter Rd.
Folcroft PA, 19032-1602
djrmanny@gmail.com

Stan Kumiega
13 Williams Dr
Aston, PA 19014-2619

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Stan Kumiega
13 Williams Dr
Aston PA, 19014-2619
stanleyjrn@hotmail.com

Kevin Gosztonyi
11 W 4th St
Bethlehem, PA 18015-1666

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Kevin Gosztonyi
11 W 4th St
Bethlehem PA, 18015-1666
goslingx5@gmail.com

Mary More
6 Haws Lane
Flourtown, PA 19031-2037

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Mary More
6 Haws Lane
Flourtown PA, 19031-2037
2mamorell@gmail.com

Sharon Martin
1489 Graeme Way
Hartsville, PA 18974-1010

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Sharon Martin
1489 Graeme Way
Hartsville PA, 18974-1010
smartin@vseinc.com

Cammie Onisko
303 high st
Elizabeth, PA 15037-2537

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12, Å pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Cammie Onisko
303 high st
Elizabeth PA, 15037-2537
cammieleake@gmail.com

Robert and Carole Matthews
3098 Church Dr Rr 2
Pittston Twp., PA 18640-9633

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Robert and Carole matthews
3098 Church Dr Rr 2
Pittston Twp. PA, 18640-9633
cmatthews106@comcast.net

Linda Jeub
1224 Trevanion St
Pittsburgh, PA 15218-1019

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Linda Jeub
1224 Trevanion St
Pittsburgh PA, 15218-1019
2jeub6335@gmail.com

Mary Kleinbach
31 Sally Ann Furnace Rd.
Mertztown, PA 19539-9200

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Mary Kleinbach
31 Sally Ann Furnace Rd.
Mertztown PA, 19539-9200
glassposey@gmail.com

Mina Sandusky
604 E Murphy Ave
Connellsville, PA 15425-2729

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,Ä pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Mina Sandusky
604 E Murphy Ave
Connellsville PA, 15425-2729
sandusky@ifado.de

Roberta Camp
713 S. Warnock St
Philadelphia, PA 19147-1927

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Roberta Camp
713 S. Warnock St
Philadelphia PA, 19147-1927
robertacamp@verizon.net

Kathleen Lockwood
551 Thomas St.
Stroudsburg, PA 18360-2104

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Kathleen Lockwood
551 Thomas St.
Stroudsburg PA, 18360-2104
kathleenrlockwood@gmail.com

Mike McCampbell
307 La Belle St
Pittsburgh, PA 15211-1343

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Mike McCampbell
307 La Belle St
Pittsburgh PA, 15211-1343
mikemcpgh@yahoo.com

Christine Hormuth
2501 meadow lane dr
Easton, PA 18040-7519

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Christine Hormuth
2501 meadow lane dr
Easton PA, 18040-7519
sparkyrama@yahoo.com

David LaVerne
844 Lincoln Street, Dickson City
Dickson City, PA 18519-1429

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

David LaVerne
844 Lincoln Street, Dickson City
Dickson City PA, 18519-1429
backpack2@comcast.net

Janet Hermann Dougherty
845 Rosary Lane
West Chester, PA 19382-5348

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

We have to do everything humanly possible. I've been working on environmental/wildlife/biodiversity concerns for 55yrs in one way or another. Not many listened through the years, and when/if they did listen and did anything it was a drop in the bucket. These problems have only multiplied, gotten worse, and the problems branching out from that are only more complex - and dire.

Every moment we waste will cost us more to fix. Every moment we waste is another life compromised by ill health from environmental problems. Every moment we waste is another death too early in life. Every moment we waste - our children will resent us for our terrible inaction and flagrant disregard for their lives.

Thank you for your consideration.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Janet Hermann Dougherty
845 Rosary Lane
West Chester PA, 19382-5348
jleehd@gmail.com

Mark Leeson
44 Hickory Court
Orwigsburg, PA 17961-9124

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Mark Leeson
44 Hickory Court
Orwigsburg PA, 17961-9124
matrix3399@gmail.com

Bonnie Stevens
1466 Shoemaker Dr
New Oxford, PA 17350-8228

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Bonnie Stevens
1466 Shoemaker Dr
New Oxford PA, 17350-8228
bonnie092078@gmail.com

Zo√ ' Warner
3 Goshorn Dr
Malvern, PA 19355-2612

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,Ä pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Zo√ ` Warner
3 Goshorn Dr
Malvern PA, 19355-2612
zoemiros@hotmail.com

Maryann Cherubini
93 Seven Stars Rd
Spring City, PA 19475-2207

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Maryann Cherubini
93 Seven Stars Rd
Spring City PA, 19475-2207
m.cherubini@yahoo.com

Lauren Mitchell
2514 Hopkins Church Rd
Sewickley, PA 15143-8646

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Lauren Mitchell
2514 Hopkins Church Rd
Sewickley PA, 15143-8646
lamitch88@yahoo.com

Jane Scopelite
128 N. Lincoln Ave.
Newtown, PA 18940-2214

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Jane Scopelite
128 N. Lincoln Ave.
Newtown PA, 18940-2214
janescopelite@gmail.com

Allison Alberts
128 Bernies Dr.
Kunkletown, PA 18058-7280

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Allison Alberts
128 Bernies Dr.
Kunkletown PA, 18058-7280
aaalberts@hotmail.com

Andrew Wadsworth
125 W 33rd St.
Reading, PA 19606-2905

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Andrew Wadsworth
125 W 33rd St.
Reading PA, 19606-2905
andywadsworth23@hotmail.com

B S
1229 veto St
Pittsburgh, PA 15212-4633

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

B S
1229 veto St
Pittsburgh PA, 15212-4633
wild.bill.schill@gmail.com

Vincent Prudente
1826 Fitzwater Street
Philadelphia, PA 19146-1853

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Vincent Prudente
1826 Fitzwater Street
Philadelphia PA, 19146-1853
pruv9@verizon.net

Amy Angelo
99 Longfellow Street
Vandergrift, PA 15690-1475

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Amy Angelo
99 Longfellow Street
Vandergrift PA, 15690-1475
axg824@yahoo.com

Denise Bonk
2608 E Venango St.
Philadelphia, PA 19134-5514

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Denise Bonk
2608 E Venango St.
Philadelphia PA, 19134-5514
dmbonk10@aol.com

Betty Pierce
621 Shadyside Dr
West Mifflin, PA 15122-3228

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Betty Pierce
621 Shadyside Dr
West Mifflin PA, 15122-3228
bpierce42@verizon.net

Peggy Hartzell
1967 Fairview rd
Glenmoore, PA 19343-2639

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Peggy Hartzell
1967 Fairview rd
Glenmoore PA, 19343-2639
leaflight@earthlink.net

Walter Tsou
325 E. Durham St.
Philadelphia, PA 19119-1219

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Walter Tsou
325 E. Durham St.
Philadelphia PA, 19119-1219
walter@psrpa.org

Donna Smith
1367 Harrington Rd
Havertown, PA 19083-2028

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Donna Smith
1367 Harrington Rd
Havertown PA, 19083-2028
lwolf42gsd@live.com

Paulina Mastryukov
101 N Merion Avenue
Bryn Mawr, PA 19010-2859

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Paulina Mastryukov
101 N Merion Avenue
Bryn Mawr PA, 19010-2859
paulina.mastryukov@yahoo.com

Laurel Husk
203 N Main St
Douglassville, PA 19518-7102

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Laurel Husk
203 N Main St
Douglassville PA, 19518-7102
shadowpong@hotmail.com

Stina Stannik
202 S 3rd St
Lewisburg, PA 17837-1912

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Stina Stannik
202 S 3rd St
Lewisburg PA, 17837-1912
sstannik@gmail.com

Carol Carmon
33 Letitia Lane
Media, PA 19063-4019

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.

- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.

- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Carol Carmon
33 Letitia Lane
Media PA, 19063-4019
4carmons@verizon.net

Sam Miller
103 Liberty House Ln
Phoenixville, PA 19460-2338

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Sam Miller
103 Liberty House Ln
Phoenixville PA, 19460-2338
swm3rd@hotmail.com

Laura Lupovitz
6544 Darlington Rd
Pittsburgh, PA 15217-1840

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards. There is no such thing as a safe pipeline, so these steps are essential to protect the public and the planet.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Laura Lupovitz
6544 Darlington Rd
Pittsburgh PA, 15217-1840
12newmoons@gmail.com

Mary McMahon
8580 Verree Rd. #474
Philadelphia, PA 19111-1382

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Mary McMahon
8580 Verree Rd. #474
Philadelphia PA, 19111-1382
marymcmahon@greynun.org

Dan Sherman
426 Mill St.
Boyertown, PA 19512-8428

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Dan Sherman
426 Mill St.
Boyertown PA, 19512-8428
totallizard@yahoo.com

Jenna Mulraney
709 westover rd
Westover, PA 16692-8916

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Jenna Mulraney
709 westover rd
Westover PA, 16692-8916
jenna_holler@yahoo.com

Patricia Libbey
379 Ripka St Apt 3b
Philadelphia, PA 19128-4608

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Patricia Libbey
379 Ripka St Apt 3b
Philadelphia PA, 19128-4608
patricia.libbey@verizon.net

Jessica Wilson
2128 State Route 3021
Springville, PA 18844-7525

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Jessica Wilson
2128 State Route 3021
Springville PA, 18844-7525
jessica.wilson.052115@gmail.com

Linda Russo
6090 High Meadow Dr
Pipersville, PA 18947-1061

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.

- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.

- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Linda Russo
6090 High Meadow Dr
Pipersville PA, 18947-1061
lr1corn@yahoo.com

Constantina Hanse
101 Lloyd Ave. Apt. 1
Pittsburgh, PA 15218-1659

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Constantina Hanse
101 Lloyd Ave. Apt. 1
Pittsburgh PA, 15218-1659
dinaki13@gmail.com

Robert Kearns
215 Kearns Rd
Hollidaysburg, PA 16648-8112

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Robert Kearns
215 Kearns Rd
Hollidaysburg PA, 16648-8112
r1949k@gmail.com

Judith McClintock
1601 Harvey Rd
Wilmington, DE 19810-4213

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Judith McClintock
1601 Harvey Rd
Wilmington DE, 19810-4213
ardenenterprises@verizon.net

Mary McCloskey
1727 Clock Tower Dr
West Chester, PA 19380-6473

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Mary McCloskey
1727 Clock Tower Dr
West Chester PA, 19380-6473
maryswiftmccloskey@gmail.com

A Brennan
1919 Chestnut St
Philadelphia, PA 19103-3401

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

A Brennan
1919 Chestnut St
Philadelphia PA, 19103-3401
redshaleab@yahoo.com

Evan Hartman
607 N 11th St.
Philadelphia, PA 19123-3309

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12, Å pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Evan Hartman
607 N 11th St.
Philadelphia PA, 19123-3309
evandawn@gmail.com

Judith Inskeep
702 Foulkeways
Gwynedd, PA 19436-1025

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,Ä pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.**
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.**
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.**

To protect the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Judith Inskeep
702 Foulkeways
Gwynedd PA, 19436-1025
inskeeps4peace@verizon.net

George Alexander
117 Kendal Drive
Kennett Square, PA 19348-2329

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

The construction of Mariner East revealed how little in the way of safety standards for pipeline construction Pennsylvania had.

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

I feel it is particularly urgent to require credible, written, publicly available contingency plans for leaks and other accidents.

Careful geological and environmental analysis, available to the public prior to actual construction, is also essential.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

George Alexander
117 Kendal Drive
Kennett Square PA, 19348-2329
galex49@gmail.com

Lora Snyder
1443 Gradyville Rd
Glen Mills, PA 19342-1915

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.

- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.

- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Lora Snyder
1443 Gradyville Rd
Glen Mills PA, 19342-1915
lorasny@gmail.com

Margaret Quinn
503 Carmarthen Drive
Exton, PA 19341-1410

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Margaret Quinn
503 Carmarthen Drive
Exton PA, 19341-1410
mcqfirst@gmail.com

Jennifer Nichols
348 Lenni Rd
Lenni, PA 19052-1004

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Jennifer Nichols
348 Lenni Rd
Lenni PA, 19052-1004
jen@green-weaver.com