



Rosemary Delpino
1001 Collins Ave
Baden, PA 15005-1313

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12, Å pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Rosemary Delpino
1001 Collins Ave
Baden PA, 15005-1313
rdelpino2002@yahoo.com

Gwendolyn Torres
910 Cheltenham drive
Wyncote, PA 19095-1501

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Gwendolyn Torres
910 Cheltenham hills drive
Wyncote PA, 19095-1501
gwendolyn.a.torres@pfizer.com

Julia Hustad
15 Auchy Road
Erdenheim, PA 19038-7828

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Julia Hustad
15 Auchy Road
Erdenheim PA, 19038-7828
julia.hustad@jefferson.edu

Melvin Armolt
5229 Applecross Ave
Chambersburg, PA 17202-7349

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Melvin Armolt
5229 Applecross Ave
Chambersburg PA, 17202-7349
armolt69@yahoo.com

Amanda Burdick
173 Sunnyside Rd
Shinglehouse, PA 16748-2113

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Amanda Burdick
173 Sunnyside Rd
Shinglehouse PA, 16748-2113
a_burdick_wk@yahoo.com

L. Hurd
106 Fair Ave
Hanover, PA 17331-3343

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

L. Hurd
106 Fair Ave
Hanover PA, 17331-3343
savoe@comcast.net

Jason Crawford
3224 Randy Rd
Lancaster, PA 17601-1408

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Jason Crawford
3224 Randy Rd
Lancaster PA, 17601-1408
jrobcraft@aol.com

Aggie Perilli
403 Atkins Ave.
Lancaster, PA 17603-4912

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: PUC's enhanced pipeline safety standards

Dear Commissioners:

Please support the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Aggie Perilli
403 Atkins Ave.
Lancaster PA, 17603-4912
aggie@aggieperilli.com

Joseph Polansky
2119 Comegys Ave
Scranton, PA 18509-1360

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Joseph Polansky
2119 Comegys Ave
Scranton PA, 18509-1360
jpola1015@hotmail.com

James Marshall Jr
135 N GERMAN ST apt 115
Dushore, PA 18614-7875

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

James Marshall Jr
135 N GERMAN ST apt 115
Dushore PA, 18614-7875
harryfodder63@gmail.com

Linda Addis
5144 Lamor Road
Hermitage, PA 16148-6562

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Linda Addis
5144 Lamor Road
Hermitage PA, 16148-6562
lindaadd1@aol.com

Diane Bongiorno
604 Moore Ave, Apt A
Bridgeville, PA 15017-1827

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Diane Bongiorno
604 Moore Ave, Apt A
Bridgeville PA, 15017-1827
damages.toads0@icloud.com

Thomas Sheller
3 Raleigh Drive
Downingtown, PA 19335-1103

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 psi pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Thomas Sheller
3 Raleigh Drive
Downingtown PA, 19335-1103
walterdr11@yahoo.com

Lawrence Pavlock
642 Oakview Dr
Verona, PA 15147-2227

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Lawrence Pavlock
642 Oakview Dr
Verona PA, 15147-2227
lmpavlock@me.com

Doris Adebajo
508 Benson Lane
Chester Springs, PA 19425-3644

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Doris Adebajo
508 Benson Lane
Chester Springs PA, 19425-3644
smilesalot95@yahoo.com

Ann-Marie Christopher
611 Fernhill Ave
Pittsburgh, PA 15226-1317

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,Ä pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Ann-Marie Christopher
611 Fernhill Ave
Pittsburgh PA, 15226-1317
christo056@verizon.net

Stephen Weyandt
635 S Terrace Dr
Altoona, PA 16602-2819

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Stephen Weyandt
635 S Terrace Dr
Altoona PA, 16602-2819
sjweyandt@atlanticbb.net

Robert Errett
309 Oakland Avenue
Greensburg, PA, PA 15601-2929

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.

- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.

- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Robert Errett
309 Oakland Avenue
Greensburg, PA PA, 15601-2929
bobandpam309@comcast.net

Wendy Smith
320 Prowell Drive
Camp Hill, PA 17011-1468

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Wendy Smith
320 Prowell Drive
Camp Hill PA, 17011-1468
wendyk320@yahoo.com

Lynda Kolesar
1022 Harvard Rd
Monroeville, PA 15146-4305

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Lynda Kolesar
1022 Harvard Rd
Monroeville PA, 15146-4305
lkolesar@aol.com

Elaine Neth
472 Jefferson St.
Plymouth Meeting, PA 19462-2622

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Elaine Neth
472 Jefferson St.
Plymouth Meeting PA, 19462-2622
ecneth@comcast.net

Joann Hunter
1244 Hancock Ave
Vandergrift, PA 15690-2071

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Joann Hunter
1244 Hancock Ave
Vandergrift PA, 15690-2071
joann.hunter48@yahoo.com

Mary Jo Knox
614 Lincoln Avenue, Apt 106
Millvale, PA 15209-2534

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Mary Jo Knox
614 Lincoln Avenue, Apt 106
Millvale PA, 15209-2534
knoxmaryjo@gmail.com

Jonathan Katz
124 W. Walnut Lane
Philadelphia, PA 19144-2612

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Jonathan Katz
124 W. Walnut Lane
Philadelphia PA, 19144-2612
jonathandavidkatz@gmail.com

Joann Aurand
333 S. Highland Avenue
Pittsburgh, PA 15206-4271

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Joann Aurand
333 S. Highland Avenue
Pittsburgh PA, 15206-4271
joarand@comcast.net

Christopher Marsh
571 Old National Pike
Brownsville, PA 15417-9235

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Trump is Gone ,ÛÛ Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,ÛÛ pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.

- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.

- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Christopher Marsh
571 Old National Pike
Brownsville PA, 15417-9235
cmarsh1902@gmail.com

Kathryn Conrad
124 Cook Rd
Duncannon, PA 17020-9732

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Kathryn Conrad
124 Cook Rd
Duncannon PA, 17020-9732
katdog2169@aol.com

Jill Turco
2428 Manton St
Philadelphia, PA 19146-2434

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Jill Turco
2428 Manton St
Philadelphia PA, 19146-2434
jillylovespugs@gmail.com

Carrie Swank
69 Michigan Drive
Reading, PA 19608-1361

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.

- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.

- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Carrie Swank
69 Michigan Drive
Reading PA, 19608-1361
caswank1@gmail.com

Cynthia Sheikh
800 Old Westtown Road
West Chester, PA 19382-5277

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Cynthia Sheikh
800 Old Westtown Road
West Chester PA, 19382-5277
bmf7860@gmail.com

Linda Stanley
139 Winterset Road
Baden, PA 15005-9628

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Linda Stanley
139 Winterset Road
Baden PA, 15005-9628
lindaestanley@hotmail.com

Christopher Dunham
144 S. Eastview Ave.
Feasterville, PA 19053-5916

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Christopher Dunham
144 S. Eastview Ave.
Feasterville PA, 19053-5916
csdunham1@gmail.com

Cathy Preuhs
91 Firethorn Rd
Baden, PA 15005-2616

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Cathy Preuhs
91 Firethorn Rd
Baden PA, 15005-2616
clpreuhs@gmail.com

Laura Orsini
112 Penn Dr.
Coatesville, PA 19320-1711

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Laura Orsini
112 Penn Dr.
Coatesville PA, 19320-1711
laura1853@aol.com

Kevin McCluskey
609 Suismon Street
Pittsburgh, PA 15212-4926

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Kevin Mccluskey
609 Suismon Street
Pittsburgh PA, 15212-4926
mccluskeykm@yahoo.com

Mick Wolk
460 colfax
Havertown, PA 19083-1315

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Mick Wolk
460 colfax
Havertown PA, 19083-1315
docviny133@aol.com

Mark Skevofilax
5 Sunny Brook Ln
Dallas, PA 18612-8904

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Mark Skevofilax
5 Sunny Brook Ln
Dallas PA, 18612-8904
mj393@aol.com

Linda Myers
9075 Playhouse Rd
Petersburg, PA 16669-3819

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Linda Myers
9075 Playhouse Rd
Petersburg PA, 16669-3819
horsefarm85@gmail.com

Rina Sunar
692 Bent Creek Dr
Lititz, PA 17543-9016

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Rina Sunar
692 Bent Creek Dr
Lititz PA, 17543-9016
rinasunaresh@gmail.com

Mary Paterson
142 Mulberry Dr
Milford, PA 18337-7262

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Mary Paterson
142 Mulberry Dr
Milford PA, 18337-7262
marymp@ptd.net

Susan Wendling
3093 Salisbury Drive
Allentown, PA 18103-6357

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Susan Wendling
3093 Salisbury Drive
Allentown PA, 18103-6357
susanwendling1@gmail.com

Mike DellaPenna
2 Fairway Dr.
Malvern, PA 19355-1519

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Mike DellaPenna
2 Fairway Dr.
Malvern PA, 19355-1519
mdellapenna@comcast.net

Judith Knueven
131 Dehaven Rd
Beaver Falls, PA 15010-9712

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Judith Knueven
131 Dehaven Rd
Beaver Falls PA, 15010-9712
judyknueven@gmail.com

Joyce Bell
1725 S Sproul Rd
Springfield, PA 19064-1137

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Joyce Bell
1725 S Sproul Rd
Springfield PA, 19064-1137
sisterbell1031@yahoo.com

Jason Driesbaugh
2434 Whitby Rd
Havertown, PA 19083-1509

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Jason Driesbaugh
2434 Whitby Rd
Havertown PA, 19083-1509
jason.driesbaugh@yahoo.com

David Way
2315 Romig Road
Pottstown, PA 19464-2139

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

David Way
2315 Romig Road
Pottstown PA, 19464-2139
way_david_m@yahoo.com

Janet Lawrence
700, Heckel Avenue
Spring City, PA 19475-1629

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Janet Lawrence
700, Heckel Avenue
Spring City PA, 19475-1629
jnelson236@aol.com

Neena Faltin
490 Muir Road
Blairsville, PA 15717-7466

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Neena Faltin
490 Muir Road
Blairsville PA, 15717-7466
neena.and.bob@gmail.com

William Ridgeway
842 N Sumner Ave Fl 1
Scranton Pa, PA 18504-1545

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

William Ridgeway
842 N Sumner Ave Fl 1
Scranton Pa PA, 18504-1545
w.ridgeway@hotmail.com

Ellis Coleman
1092 Kaolin Rd.
Kennett Square, PA 19348-2643

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Ellis Coleman
1092 Kaolin Rd.
Kennett Square PA, 19348-2643
ellis.c.coleman@gmail.com

Joan Nikelsky
7267 Calvin Road
Upper Darby, PA 19082-3403

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Joan Nikelsky
7267 Calvin Road
Upper Darby PA, 19082-3403
jnikelsky@msn.com

Julie Shapiro
519 S. 46th St
Philadelphia, PA 19143-2101

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Julie Shapiro
519 S. 46th St
Philadelphia PA, 19143-2101
julieshapp@gmail.com

Helene Rosen
92 Grandview Dr.
Ivyland, PA 18974-6127

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Helene Rosen
92 Grandview Dr.
Ivyland PA, 18974-6127
hrosen80@hotmail.com

Karen Rudy
206 10th St.
New Cumberland, PA 17070-1613

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Karen Rudy
206 10th St.
New Cumberland PA, 17070-1613
dederudy17@hotmail.com

Manon Roberge
115 Hartman Rd.
Pottstown, PA 19465-7573

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Manon Roberge
115 Hartman Rd.
Pottstown PA, 19465-7573
manonroberge4@gmail.com

Daniel Safer
3305 Hamilton Street
Philadelphia, PA 19104-2530

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.

- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.

- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Daniel Safer
3305 Hamilton Street
Philadelphia PA, 19104-2530
saferdan@hotmail.com

Gary Lewis
111 Hidden Hollow Ct
Phoenixville, PA 19460-2866

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Gary Lewis
111 Hidden Hollow Ct
Phoenixville PA, 19460-2866
garyalewis@yahoo.com

Nicholas Diamond
2020 Cypress Dr.
White Oak, PA 15131-1808

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Nicholas Diamond
2020 Cypress Dr.
White Oak PA, 15131-1808
nick4122010@hotmail.com

Claudia Rushlow, SC
129 Depaul Center Rd # 267 Temp
Greensburg , Pa Temp, PA 15601-1270

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Claudia Rushlow, SC
129 Depaul Center Rd # 267 Temp
Greensburg , Pa Temp PA, 15601-1270
claudiar@scsh.org

Laura Chinofsky
422 WENDY RD
Southampton, PA 18966-3521

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Laura Chinofsky
422 WENDY RD
Southampton PA, 18966-3521
lzchin@hotmail.com

Pearl Elias
837 Lindy Lane
Bala Cynwyd, PA 19004-1333

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Pearl Elias
837 Lindy Lane
Bala Cynwyd PA, 19004-1333
pearlelias@yahoo.com

Susanne Groenendaal
1313 Old Boalsburg Rd.
State College, PA 16801-6233

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Susanne Groenendaal
1313 Old Boalsburg Rd.
State College PA, 16801-6233
stargazerlilly1@verizon.net

Allyson Gwinn
155 White Rd
Gettysburg, PA 17325-7069

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Allyson Gwinn
155 White Rd
Gettysburg PA, 17325-7069
thomal04@gmail.com

K Danowski
688 Artvue Drive
Pittsburgh, PA 15243-1671

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve PUC's enhanced pipeline safety standards

Dear Commissioners:

I strongly support the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between 2017 and 2018, a single pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated areas.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers, and lakes as a result of poor planning and inadequate prior analysis of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation, and maintenance of these pipelines through our Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

K Danowski
688 Artvue Drive
Pittsburgh PA, 15243-1671
silver_kd@yahoo.com

Jill Turco
2428 Manton St
Philadelphia, PA 19146-2434

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Jill Turco
2428 Manton St
Philadelphia PA, 19146-2434
jillylovespugs@gmail.com

Alexandra Manning
805 Graystone Lane
Downingtown, PA 19335-4444

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Alexandra Manning
805 Graystone Lane
Downingtown PA, 19335-4444
alexamanning1@gmail.com

Elizabeth Seltzer
11 W. Ridge Rd.
Media, PA 19063-2542

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Elizabeth Seltzer
11 W. Ridge Rd.
Media PA, 19063-2542
ees01@earthlink.net

Eric Potter
61 Harrison Road East
West Chester, PA 19380-6749

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Eric Potter
61 Harrison Road East
West Chester PA, 19380-6749
pachy_boy@yahoo.com

Kathie Snavely
446 Riverview Dr.
Wrightsville, PA 17368-9066

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Kathie Snavely
446 Riverview Dr.
Wrightsville PA, 17368-9066
ksnavely4@gmail.com

Frances Hoenigswald
4625 Pine Street F505
Philadelphia, PA 19143-1869

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Frances Hoenigswald
4625 Pine Street F505
Philadelphia PA, 19143-1869
fhoenigswald@gmail.com

Kevin Meehan
108 Stevens lane
Exeter, PA 18643-1219

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Kevin Meehan
108 Stevens lane
Exeter PA, 18643-1219
kdm49@netzero.com

Saundra Petrella
205 Walnut St
Beaver, PA 15009-2430

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Saundra Petrella
205 Walnut St
Beaver PA, 15009-2430
saundra26@comcast.net

Michael Dimonte
622 Toftree Drive
Cranberry Township, PA 16066-5416

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Michael Dimonte
622 Toftree Drive
Cranberry Township PA, 16066-5416
michaeldimo124@hotmail.com

Paul Montell
129 Anthony Wayne Terrace
Baden, PA 15005-2004

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Paul Montell
129 Anthony Wayne Terrace
Baden PA, 15005-2004
paulthebearmontell@yahoo.com

Sharon Jasneski
210 20th Street
Pittsburgh, PA 15215-2704

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Sharon Jasneski
210 20th Street
Pittsburgh PA, 15215-2704
zeek@pitt.edu

Laura Fake
443 W High St
Womelsdorf, PA 19567-1413

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Laura Fake
443 W High St
Womelsdorf PA, 19567-1413
lfake456@gmail.com

Laura Prushinski
122 Falcon Drive
Larksville, PA 18704-1607

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Laura Prushinski
122 Falcon Drive
Larksville PA, 18704-1607
lflyers27@gmail.com

Kelly Riley
3264 Roxbury Rd.
Hatfield, PA 19440-4142

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Kelly Riley
3264 Roxbury Rd.
Hatfield PA, 19440-4142
khanlon74@yahoo.com

Joyce Ciotti
253 Arden road
Pittsburgh, PA 15216-1440

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Joyce Ciotti
253 Arden road
Pittsburgh PA, 15216-1440
joyce86869@aol.com

John W Borland
15 Hockersville Road
Hershey, PA 17033-1961

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

John W Borland
15 Hockersville Road
Hershey PA, 17033-1961
jwborland@aol.com

Ira Josephs
499 W Jefferson St.
Media, PA 19063-3667

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Ira Josephs
499 W Jefferson St.
Media PA, 19063-3667
irabike@yahoo.com

Cassandra Tereschak
525 Arthur Ave
Scranton, PA 18510-2356

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Cassandra Tereschak
525 Arthur Ave
Scranton PA, 18510-2356
ctereschak@yahoo.com

Karen Flam
405 Henley Ct.
Doylestown, PA 18901-2548

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Karen Flam
405 Henley Ct.
Doylestown PA, 18901-2548
karenflam@yahoo.com

Liana Lang
247 State Route 437
White Haven, PA 18661-3828

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Liana Lang
247 State Route 437
White Haven PA, 18661-3828
lianalang79@yahoo.com

Patricia Schweitzer
1463 Olivia Court
Bethlehem, PA 18017-1114

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Patricia Schweitzer
1463 Olivia Court
Bethlehem PA, 18017-1114
onlyconnect07@gmail.com

Tim Herman
312 Clark Road
Hershey, PA 17033-2118

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Tim Herman
312 Clark Road
Hershey PA, 17033-2118
tdherman312@gmail.com

Judith McGovern
2455 W Pumping Station Rd
Quakertown, PA 18951-3922

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Judith McGovern
2455 W Pumping Station Rd
Quakertown PA, 18951-3922
bigjude2000@yahoo.com

Emily Miller
1332 Hawthorne Street
Pittsburgh, PA 15201-2044

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Emily Miller
1332 Hawthorne Street
Pittsburgh PA, 15201-2044
em.e.miller@gmail.com

Kathleen Cook
113 Talgrath Court
Exton, PA 19341-2900

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Kathleen Cook
113 Talgrath Court
Exton PA, 19341-2900
cookkathy113@gmail.com

Sheila Erlbaum
7150 Bryan St.
Philadelphia, PA 19119-2406

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Sheila Erlbaum
7150 Bryan St.
Philadelphia PA, 19119-2406
sjerlbaum@gmail.com

Beverly Rae
257 Northampton St
Hellertown, PA 18055-2212

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I write in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please do approve these long-overdue stronger standards.

According to PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction.

Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East which resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.

- In several locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.

- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Beverly Rae
257 Northampton St
Hellertown PA, 18055-2212
beverly_rae@yahoo.com

Shawn Towey
505 Country Club Road
Phoenixville, PA 19460-5706

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Shawn Towey
505 Country Club Road
Phoenixville PA, 19460-5706
shawn2e@gmail.com

Robert Jenks
195 Indiana Rd.
Landisburg, PA 17040-9331

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Robert Jenks
195 Indiana Rd.
Landisburg PA, 17040-9331
c4b0abd7@opayq.com

Kaley Boyd
110 Lebanon Hills Drive
Pittsburgh, PA 15228-2138

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.

- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.

- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Kaley Boyd
110 Lebanon Hills Drive
Pittsburgh PA, 15228-2138
kaley.sechman@gmail.com

David Kissam
2 Oley Meadows Dr
Oley, PA 19547-9657

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

David Kissam
2 Oley Meadows Dr
Oley PA, 19547-9657
equis1twobit@gmail.com

Wayne Kessler
906 Pierce Rd.
Norristown, PA 19403-4029

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Wayne Kessler
906 Pierce Rd.
Norristown PA, 19403-4029
betty.cooper6819229@gmail.com

Barbara Hogan
151 Laurel Heights Rd
Landenberg, PA 19350-9306

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Barbara Hogan
151 Laurel Heights Rd
Landenberg PA, 19350-9306
hogansrus@earthlink.net

Dolores Fifer
257 Main Street
Pittsburgh, PA 15201-2807

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.

- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.

- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Dolores Fifer
257 Main Street
Pittsburgh PA, 15201-2807
shmoett2@aol.com

Frank Ayers
311 Tennyson Ave.
Altoona, PA 16602-4132

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Frank Ayers
311 Tennyson Ave.
Altoona PA, 16602-4132
fastormrider1@aol.com

Bonnie McGill
10384 Maple Ln
Conneaut Lake, PA 16316-3842

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Bonnie McGill
10384 Maple Ln
Conneaut Lake PA, 16316-3842
info7for7me@yahoo.com

Donna Gensler
1730 Duffield St.
Pittsburgh, PA 15206-1140

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Donna Gensler
1730 Duffield St.
Pittsburgh PA, 15206-1140
donnag706@msn.com

Anne Rettenmair
48 Dresner Cir
Boothwyn, PA 19061-4247

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Anne Rettenmair
48 Dresner Cir
Boothwyn PA, 19061-4247
alrett29@gmail.com

Michael Miller Jr
1512 Spruce St. #809
Philadelphia, PA 19102-4551

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.

- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.

- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Michael Miller Jr
1512 Spruce St. #809
Philadelphia PA, 19102-4551
michamille@comcast.net

June Fort
3100 Unruh Ave
Philadelphia, PA 19149-2623

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

June Fort
3100 Unruh Ave
Philadelphia PA, 19149-2623
junejune@consultant.com

Amy Phelps
280 Stanton Court
Glen Mills, PA 19342-2032

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Amy Phelps
280 Stanton Court
Glen Mills PA, 19342-2032
amycp6@gmail.com

J. Allen Feryok
1520 Jones St
Monessen, PA 15062-1925

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers, and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

J. Allen Feryok
1520 Jones St
Monessen PA, 15062-1925
aferyok@yahoo.com

Whitney Wandelt
935 Spring Garden Street
Philadelphia, PA 19123-2611

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Whitney Wandelt
935 Spring Garden Street
Philadelphia PA, 19123-2611
starww@aol.com

Robert Perry
6244 Magnolia St.
Philadelphia, PA 19144-1611

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Robert Perry
6244 Magnolia St.
Philadelphia PA, 19144-1611
rperry1742@verizon.net

Cheri Sansoni
700 Killinger Road
Dauphin, PA 17018-9120

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Cheri Sansoni
700 Killinger Road
Dauphin PA, 17018-9120
cherisansoni@icloud.com

Diane Eagan
2623 Eldon Ave.
Drexel Hill, PA 19026-1004

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Diane Eagan
2623 Eldon Ave.
Drexel Hill PA, 19026-1004
mdeagan1@verizon.net

Martin Eagan
2623 Eldon Ave.
Drexel Hill, PA 19026-1004

April 29, 2024

Independent Regulatory Review Commission
333 Market St., 14th Floor
Harrisburg, PA 17101

Subject: Approve the PUC's enhanced pipeline safety standards

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Martin Eagan
2623 Eldon Ave.
Drexel Hill PA, 19026-1004
mdeagan1@verizon.net
