

## FORM LETTER A #230-315

Leah Seace  
7 Lila Lane  
Downingtown, PA 19335-1521



April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12, Å pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Leah Seace  
7 Lila Lane  
Downingtown PA, 19335-1521  
leah1533@verizon.net

Libby Madarasz  
205 Locust Ln  
Exton, PA 19341-2402

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.

- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.

- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Libby Madarasz  
205 Locust Ln  
Exton PA, 19341-2402  
lockeyjo@verizon.net

---

Virginia Marcille-Kerslake  
103 Shoen Road  
Exton, PA 19341-2133

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Virginia Marcille-Kerslake  
103 Shoen Road  
Exton PA, 19341-2133  
vkerslake@gmail.com

---

Nicole Valentine  
1605 Alcott Circle  
West Chester, PA 19380-6010

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Nicole Valentine  
1605 Alcott Circle  
West Chester PA, 19380-6010  
nicolevalentine@me.com

---



Nicole Mathews  
310 Birmingham Way  
Exton, PA 19341-2745

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.

- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.

- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Nicole Mathews  
310 Birmingham Way  
Exton PA, 19341-2745  
nfmathews77@gmail.com

---

Debra Barbato  
489 Orchard Circle  
Exton, PA 19341-2017

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.

- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.

- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Debra Barbato  
489 Orchard Circle  
Exton PA, 19341-2017  
dbarbato489@gmail.com

Kathleen Griffith  
283 Watch Hill Road  
Exton, PA 19341-2190

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Kathleen Griffith  
283 Watch Hill Road  
Exton PA, 19341-2190  
grahmgriff@gmail.com

Ted Strand  
307 Horizon Ct  
Exton, PA 19341-2340

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Ted Strand  
307 Horizon Ct  
Exton PA, 19341-2340  
strand307@gmail.com



Jennifer Quay  
1321 Copeland School Road  
West Chester, PA 19380-1003

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Jennifer Quay  
1321 Copeland School Road  
West Chester PA, 19380-1003  
jennquay@gmail.com

---

Maria Yonchek  
18 Lloyd Ave  
Malvern, PA 19355-3042

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Maria Yonchek  
18 Lloyd Ave  
Malvern PA, 19355-3042  
myonchek@gmail.com

---

Barb Moore  
7 Spruce Road  
Newtown Square, PA 19073-2913

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Barb Moore  
7 Spruce Road  
Newtown Square PA, 19073-2913  
bmoore99@aol.com

Marguerite Beazley  
118 Princeton Rd.  
Exton, PA 19341-1532

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

**To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.**

**I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.**

Sincerely,

**Marguerite Beazley  
118 Princeton Rd.  
Exton PA, 19341-1532  
beazleybrooke@gmail.com**



Kathy Cook  
113 Talgrath Court  
Exton, PA 19341-2900

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12,000 pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Kathy Cook  
113 Talgrath Court  
Exton PA, 19341-2900  
cookkathy113@gmail.com

---

Cynthia Davies  
909 Harbour Ridge Lane  
Downingtown, PA 19335-4556

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Cynthis Davies  
909 Harbour Ridge Lane  
Downingtown PA, 19335-4556  
cynthiadavies@msn.com

Rosenoelle Halter  
209 Meng Road  
Schwenksville, PA 19473-1720

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Rosenoelle Halter  
209 Meng Road  
Schwenksville PA, 19473-1720  
noellehalter@gmail.com

Henry Berkowitz  
141 Sperry & Young Rd.  
Sabinsville, PA 16943-9797

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Henry Berkowitz  
141 Sperry & Young Rd.  
Sabinsville PA, 16943-9797  
hlemc2022@gmail.com



Timothy Jenkins  
604 N Morton Ave  
Morton, PA 19070-1125

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Timothy Jenkins  
604 N Morton Ave  
Morton PA, 19070-1125  
timjenkns@yahoo.com

Mary March  
404 west union street  
West chester, PA 19382-3357

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Mary March  
404 west union street  
West chester PA, 19382-3357  
marzees722@gmail.com

Lou Laurent  
157 Sabal Lake Drive  
Naples, FL 34104-6407

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Lou Laurent  
157 Sabal Lake Drive  
Naples FL, 34104-6407  
lou.laurent@earthlink.net

---

Susan Jeffries  
46 Oakland Drive  
Downingtown, PA 19335-1739

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Susan Jeffries  
46 Oakland Drive  
Downingtown PA, 19335-1739  
susiecancook@aol.com



B Soltis  
690 Hopewell Rd  
Downingtown, PA 19335-1219

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

B Soltis  
690 Hopewell Rd  
Downingtown PA, 19335-1219  
bsoltis3@yahoo.com

Debra Jones  
693 Metro Court  
West Chester, PA 19380-1771

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Debra Jones  
693 Metro Court  
West Chester PA, 19380-1771  
kseejonz@aol.com

Barbara McIlvaine Smith  
103 E Sickle St  
Kennett Square, PA 19348-2920

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Barbara McIlvaine Smith  
103 E Sickle St  
Kennett Square PA, 19348-2920  
bms450@gmail.com

---

Shari Maun  
1726 Clock Tower Dr  
West Chester, PA 19380-6474

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Shari Maun  
1726 Clock Tower Dr  
West Chester PA, 19380-6474  
sharimaun@verizon.net

---



K.S. Bhaskar  
925 S Wisteria Dr  
Malvern, PA 19355-2337

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

K.S. Bhaskar  
925 S Wisteria Dr  
Malvern PA, 19355-2337  
ksbhaskar@ieee.org

Edward Drinkwater  
730 Monument Road  
Malvern, PA 19355-2861

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Edward Drinkwater  
730 Monument Road  
Malvern PA, 19355-2861  
skipdrink@gmail.com

---

Scott Smith  
2455 Old Post Rd  
Coplay, PA 18037-2408

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.

- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.

- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Scott Smith  
2455 Old Post Rd  
Coplay PA, 18037-2408  
scottietoohot922@yahoo.com

Beth Vanburen  
345 Oxford Rd  
Plymouth Meeting, PA 19462-7174

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Beth Vanburen  
345 Oxford Rd  
Plymouth Meeting PA, 19462-7174  
bhvanburen@hotmail.com



Jeff Hearn  
6 Sawtooth Lane  
Hatboro, PA 19040-2053

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Jeff Hearn  
6 Sawtooth Lane  
Hatboro PA, 19040-2053  
[jjmh57@hotmail.com](mailto:jjmh57@hotmail.com)

---

Dorothy Li Calzi  
6609 Lincoln Dr  
Philadelphia, PA 19119-3116

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Dorothy Li Calzi  
6609 Lincoln Dr  
Philadelphia PA, 19119-3116  
dmlicalzi@yahoo.com

---

Marilynn Harper  
216 N Monroe St. #203  
Media, PA 19063-2920

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Marilynn Harper  
216 N Monroe St. #203  
Media PA, 19063-2920  
maharper7376@verizon.net

Beverly Fink  
13 Summit Road  
York, PA 17403-4913

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Beverly Fink  
13 Summit Road  
York PA, 17403-4913  
bvrlyfink@yahoo.com

---



Felicia Lewis  
2122 Cherry Street  
Philadelphia, PA 19103-1312

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Felicia Lewis  
2122 Cherry Street  
Philadelphia PA, 19103-1312  
felicialewis1@hotmail.com

Mike Peale  
5 Worth Hill Ln  
Aston, PA 19014-1545

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Mike Peale  
5 Worth Hill Ln  
Aston PA, 19014-1545  
mikepeale@msn.com

Dawn Imes  
1306 Milton St  
Pittsburgh, PA 15218-1235

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Dawn Imes  
1306 Milton St  
Pittsburgh PA, 15218-1235  
dawnholio@hotmail.com

---

Linda Bescrypt  
800 Trenton Rd. #465  
Langhorne, PA 19047-5673

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Linda Bescrypt  
800 Trenton Rd. #465  
Langhorne PA, 19047-5673  
sadie8882@gmail.com

---



Daniel Salmen  
73 Berry St  
Pittsburgh, PA 15205-2208

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Daniel Salmen  
73 Berry St  
Pittsburgh PA, 15205-2208  
dsalmen@verizon.net

Rich Surdyk  
2059 Plainview Ave  
Pittsburgh, PA 15226-1334

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Rich Surdyk  
2059 Plainview Ave  
Pittsburgh PA, 15226-1334  
rich.surdyk@verizon.net

---

Richard Geiger  
365 Olivia St  
Mc Kees Rocks, PA 15136-2761

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Richard Geiger  
365 Olivia St  
Mc Kees Rocks PA, 15136-2761  
rgphilo1@gmail.com

---

Richard Tregidgo  
1146 Sunnyside Dr.  
Holtwood, PA 17532-9726

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Richard Tregidgo  
1146 Sunnyside Dr.  
Holtwood PA, 17532-9726  
norslope@gmail.com



Leslie Patrick  
2460 Pleasant Grove Rd  
Mifflinburg, PA 17844-7922

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Leslie Patrick  
2460 Pleasant Grove Rd  
Mifflinburg PA, 17844-7922  
lpatrick@bucknell.edu

David Dzikowski  
56 McBride Road  
Canonsburg, PA 15317-6120

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

David Dzikowski  
56 McBride Road  
Canonsburg PA, 15317-6120  
forest\_guardian7@yahoo.com

Randall Hoppmann  
1900 Pine St  
Philadelphia, PA 19103-6674

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Randall Hoppmann  
1900 Pine St  
Philadelphia PA, 19103-6674  
rhoppmann@verizon.net

---

Todd Jackson  
24 Mourar Dr  
Spring City, PA 19475-3429

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards. This is a matter of significant public safety!

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth. We cannot afford more accidents and big impacts for citizens living near these pipelines.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Todd Jackson  
24 Mourar Dr  
Spring City PA, 19475-3429  
tjjustnrc@yahoo.com



Sr. Barbara Finch  
1239 Oakmont Street  
Pittsburgh, PA 15205-3633

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Sr.barbara Finch  
1239 Oakmont Street  
Pittsburgh PA, 15205-3633  
b.a.finch@att.net

David Ringle  
7113 Heather Rd  
Macungie, PA 18062-9432

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

David Ringle  
7113 Heather Rd  
Macungie PA, 18062-9432  
d.ringle@ieee.org

Jeb Jungwirth  
34 48th St  
Pittsburgh, PA 15201-2754

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Jeb Jungwirth  
34 48th St  
Pittsburgh PA, 15201-2754  
jebjungwirth@gmail.com

---

J Fried  
948 Harmony Hill Road  
West Chester, PA 19380-1842

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

J Fried  
948 Harmony Hill Road  
West Chester PA, 19380-1842  
joyzoe120@yahoo.com

---



Dianne Carroll  
110 Yosemite Drive  
Pittsburgh, PA 15235-2042

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Dianne Carroll  
110 Yosemite Drive  
Pittsburgh PA, 15235-2042  
di26pt2@hotmail.com

Raymond Smith  
1611 Beighley Road  
Apollo, PA 15613-9630

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Raymond Smith  
1611 Beighley Road  
Apollo PA, 15613-9630  
rsmith5387@yahoo.com

---

Sara Eby  
39 N Charlotte St  
Lancaster, PA 17603-3743

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Sara Eby  
39 N Charlotte St  
Lancaster PA, 17603-3743  
saradugan@gmail.com

---

Christine Penrose  
301 S. Chadwick St.  
Philadelphia, PA 19103-6705

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Christine Penrose  
301 S. Chadwick St.  
Philadelphia PA, 19103-6705  
cpenrose301@comcast.net



Barbara Achey  
25 12th St.  
Union Dale, PA 18470-7722

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Barbara Achey  
25 12th St.  
Union Dale PA, 18470-7722  
jimandbobbi@live.com

**Boris Dirnbach**  
6350 Lancaster Ave  
Philadelphia, PA 19151-2507

**April 29, 2024**

**Independent Regulatory Review Commission**  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Boris Dirnbach  
6350 Lancaster Ave  
Philadelphia PA, 19151-2507  
bdirnbac@gmail.com

---

Rayzel Raphael  
1211 Ansley Ave.  
Elkins Park, PA 19027-3048

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Rayzel Raphael  
1211 Ansley Ave.  
Elkins Park PA, 19027-3048  
rrayzel@shechinah.com

**Shirley Wagner-Sevy  
70 Sutton Pl  
Easton, PA 18045-5757**

**April 29, 2024**

**Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101**

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

**I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.**

**According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.**

**The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:**

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.**
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.**
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.**

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Shirley Wagner-Sevy  
70 Sutton Pl  
Easton PA, 18045-5757  
swagsevy@gmail.com

---



Sa Rei  
264 N Spring Mill Rd.  
Villanova, PA 19085-1340

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Sa Rei  
264 N Spring Mill Rd.  
Villanova PA, 19085-1340  
Reilsshera@aol.com

---

Kimberly Gilbert  
1017 Grandview Ave  
Pittsburgh, PA 15237-2252

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Kimberly Gilbert  
1017 Grandview Ave  
Pittsburgh PA, 15237-2252  
porterdigby@verizon.net

---

Gemma Legel  
460 Saint Bernardine St.  
Reading, PA 19607-1737

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Gemma Legel  
460 Saint Bernardine St.  
Reading PA, 19607-1737  
gemmalegelosf@hotmail.com

---

Ruth Souder  
101 Main St 2nd Fl.  
Red Hill, PA 18076-1401

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Ruth Souder  
101 Main St 2nd Fl.  
Red Hill PA, 18076-1401  
ruthkays@gmail.com

---



Stacey Marchig  
2321 Ferncroft Cir.  
Upper Chichester, PA 19061-3852

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Stacey Marchig  
2321 Ferncroft Cir.  
Upper Chichester PA, 19061-3852  
hoodmarchig@yahoo.com

Robert Duplessis  
413 S 24th St  
Philadelphia, PA 19146-1148

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Robert Duplessis  
413 S 24th St  
Philadelphia PA, 19146-1148  
rduples1@swarthmore.edu

Kelly Matonti  
2308 Edgely Rd  
Levittown, PA 19057-4610

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Kelly Matonti  
2308 Edgely Rd  
Levittown PA, 19057-4610  
dkmatonti@hotmail.com

---

Carmen Nunn  
3600 Conshohocken Ave Apt 1406  
Philadelphia, PA 19131-5325

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Carmen Nunn  
3600 Conshohocken Ave Apt 1406  
Philadelphia PA, 19131-5325  
cnunn19@bellsouth.net



Pat Lemay  
950 Willow Valley Lakes Drive  
Willow Street, PA 17584-9663

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Pat Lemay  
950 Willow Valley Lakes Drive  
Willow Street PA, 17584-9663  
pa.dor@verizon.net

Nancy Mccullough  
4014 Bloomfield Avenue  
Drexel Hill, PA 19026-3812

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Nancy Mccullough  
4014 Bloomfield Avenue  
Drexel Hill PA, 19026-3812  
nancymccullough66@yahoo.com

---

John Nickey  
178 Saint Michaels Way  
Hanover, PA 17331-8003

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

John Nickey  
178 Saint Michaels Way  
Hanover PA, 17331-8003  
jhnickey@outlook.com

D John Woodcock  
403 Raintree Lane  
Malvern, PA 19355-2656

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

D John Woodcock  
403 Raintree Lane  
Malvern PA, 19355-2656  
pastorsheepngoat@gmail.com



**John Nickey**  
178 Saint Michael's Way  
Hanover, PA 17331-8003

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

John Nickey  
178 Saint Michael's Way  
Hanover PA, 17331-8003  
jnickey@centurylink.net

Carolyn Nesto  
1400 Morrow Rd  
Pittsburgh, PA 15241-3506

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Carolyn Nesto  
1400 Morrow Rd  
Pittsburgh PA, 15241-3506  
cnesto@gmail.com

Annemarie Meyer  
1 Cedarcrest Lane  
Oley, PA 19547-8678

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Annemarie Meyer  
1 Cedarcrest Lane  
Oley PA, 19547-8678  
annemarieal@comcast.net

---

Megan White-Marley  
114 Strathmore Rd  
Havertown, PA 19083-3722

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

**To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.**

**I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.**

**Sincerely,**

**Megan White-Marley  
114 Strathmore Rd  
Havertown PA, 19083-3722  
meganwhitemarley@yahoo.com**



Jean MacFarlane  
102 Grayling Avenue  
Narberth, PA 19072-1900

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Jean MacFarlane  
102 Grayling Avenue  
Narberth PA, 19072-1900  
maxinemac@yahoo.com

---

Erich Freimuth Jr  
266 Iven Ave. #1A  
Wayne, PA 19087-4917

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Erich Freimuth Jr  
266 Iven Ave. #1A  
Wayne PA, 19087-4917  
efreimuthjr@yahoo.com

---

Jeanne Held-Warmkessel  
110 Santa Anita Drive  
North Wales, PA 19454-4285

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

**Dear Commissioners:**

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Jeanne Held-Warmkessel  
110 Santa Anita Drive  
North Wales PA, 19454-4285  
jheldwarmkessel@yahoo.com

Linda Wichmann  
357 C Gringo Independence Rd  
Aliquippa, PA 15001-6009

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Linda Wichmann  
357 C Gringo Independence Rd  
Aliquippa PA, 15001-6009  
ljwichmann@hotmail.com



Zaira Jones  
124 Pembroke Ct  
Exton, PA 19341-2907

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Zaira Jones  
124 Pembroke Ct  
Exton PA, 19341-2907  
zaiejp@gmail.com

Rosemaria Root  
133 Adam Drive  
New Oxford, PA 17350-9440

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Rosemaria Root  
133 Adam Drive  
New Oxford PA, 17350-9440  
rosemariaroot@gmail.com

---

**FRANK SABATINI**  
36 Grandview Dr.  
Pittston, PA 18640-2954

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

FRANK SABATINI  
36 Grandview Dr.  
Pittston PA, 18640-2954  
fpsabatini@aol.com

Victoria Austin  
PO Box 21  
Bairdford, PA 15006-0021

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Victoria Austin  
PO Box 21  
Bairdford PA, 15006-0021  
vmail@consolidated.net



Kathleen Riordan  
633 E Allens Ln.  
Philadelphia, PA 19119-1108

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Kathleen Riordan  
633 E Allens Ln.  
Philadelphia PA, 19119-1108  
kathleen.riordan@att.net

---

Samantha Nathan  
41 Rosedale Rd.  
Wynnewood, PA 19096-3525

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Samantha Nathan  
41 Rosedale Rd.  
Wynnewood PA, 19096-3525  
email2015now@yahoo.com

Peter Gottemoller  
709 Fairfield Road  
Glenside, PA 19038-4312

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Peter Gottemoller  
709 Fairfield Road  
Glenside PA, 19038-4312  
pkgottemyers@comcast.net

ALISON RILEY  
629 S 11th St  
Philadelphia, PA 19147-1901

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.

- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.

- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

ALISON RILEY  
629 S 11th St  
Philadelphia PA, 19147-1901  
alisontr@gmail.com

---



Kenneth Bickel  
1201 Michael Drive  
Pittsburgh, PA 15227-3921

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Kenneth Bickel  
1201 Michael Drive  
Pittsburgh PA, 15227-3921  
kenb0969@gmail.com

---

Suzanne Clare  
1219 W Wynnewood Rd Apt 107  
Wynnewood, PA 19096-2113

April 29, 2024

Independent Regulatory Review Commission  
333 Market St., 14<sup>th</sup> Floor  
Harrisburg, PA 17101

**Subject: Approve the PUC's enhanced pipeline safety standards**

Dear Commissioners:

I am writing in support of the enhanced safety standards recently approved by the Pennsylvania Public Utility Commission for the construction, operation, maintenance, accident reporting, and public awareness for intrastate hazardous liquid pipelines. Please approve these long-overdue stronger standards.

According to the PUC, there have been 71 hazardous liquid pipeline accidents in Pennsylvania since 2010 that resulted in a release or spill. Between just 2017 and 2018, one pipeline operator, Energy Transfer, had four accidents in Pennsylvania: a pinhole leak on ME1 in Morgantown, an explosion on Revolution in Butler County, an excavator striking ME2 in Delaware County, and a leak on the 12" pipeline that was later repurposed for Mariner East. The frequency of these leaks is frightening, knowing that a pipeline like Mariner East has the potential for a catastrophic event in densely populated communities.

The proposed enhanced standards do not address all hazardous liquid pipeline concerns, but they would address some of those witnessed across Pennsylvania during Mariner East construction. Here are a few examples:

- Residents witnessed construction failures countless times on Mariner East that resulted in inadvertent returns of drilling fluids, subsidence events, and contamination of water wells, rivers and lakes as a result of poor planning and inadequate analysis beforehand of geological and environmental impacts.
- In a number of locations, particularly in High Consequence Areas in Chester County and Delaware County, Mariner East pipes were installed almost touching, much closer than PHMSA's suggested twelve inches apart.
- Across Pennsylvania, property owners experienced unscrupulous behavior by land agents for Mariner East. Property owners were told misinformation and outright lies, and felt threatened and pressured into signing easements.

---

To protect the the public from hazardous pipelines, Pennsylvania desperately needs stronger rules for the construction, operation and maintenance of these pipelines through our communities and Commonwealth.

I urge you to approve the safety standards for intrastate pipelines transporting hazardous liquids which the PA Public Utility Commission has approved in its Final Form Rulemaking Order.

Sincerely,

Suzanne Clare  
1219 W Wynnewood Rd Apt 107  
Wynnewood PA, 19096-2113  
suzanne.clare@earthlink.net

---