



**Stephen Hoffman**

---

**From:** ecomment@pa.gov  
**Sent:** Saturday, February 26, 2022 11:05 AM  
**To:** Environment-Committee@pasenate.com; environmentalcommittee@pahouse.net; regcomments@pa.gov; Troutman, Nick; gking; Franzese, Evan B.; Eyster, Emily; IRRC  
**Cc:** c-jflanagan@pa.gov  
**Subject:** Comment received - Proposed Rulemaking: Safe Drinking Water PFAS MCL Rule (#7-569)

**CAUTION: \*\*EXTERNAL SENDER\*\*** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.



**Re: eComment System**

**The Department of Environmental Protection has received the following comments on Proposed Rulemaking: Safe Drinking Water PFAS MCL Rule (#7-569).**

Commenter Information:

James Sandoe  
(cjsandoe@yahoo.com)  
1181 Joann Ave  
Ephrata, PA 17522 US

---

Comments entered:

These proposed regulations are totally unacceptable. First, the limits are way too high, and not in line with the current science. Recent studies show that 1 ppt should be the limit for total PFAS. Second, you are not testing for enough PFAS chemicals. You should be testing for at least 15. Third, this is taking way too long. Two more years of giving people cancer when there is plenty of science available to make a decision quickly. Use California or New Jersey for a template, we have worked with these states on environmental regulations before, no reason we shouldn't now. These rules need to be as strict as possible, as soon as possible.

---

No attachments were included as part of this comment.

Please contact me if you have any questions.

Sincerely,  
Jessica Shirley

---

Jessica Shirley  
Director, Office of Policy  
PA Department of Environmental Protection  
Rachel Carson State Office Building  
P.O. Box 2063  
Harrisburg, PA 17105-2063  
Office: 717-783-8727  
Fax: 717-783-8926  
[ecomment@pa.gov](mailto:ecomment@pa.gov)